

13-1A) A particle will undergo simple harmonic motion if the restoring force acting on the particle is proportional to:

- (a) The square root of the amplitude of motion of the particle.
- (b) The frequency of oscillation of the particle.
- (c) The particle's velocity.
- (d) The particle's displacement from equilibrium.
- (e) The square of the particle's displacement from equilibrium.

13-2A) Which one of the following is WRONG?

- (a) A Hooke's law force will give simple harmonic motion.
- (b) The frequency of oscillation is inversely proportional to the period of oscillation.
- (c) For a given mass and Hooke's law spring, the larger the amplitude of oscillation, the larger the maximum speed.
- (d) If you double the amplitude of oscillation of a mass on a Hooke's law spring, you double its maximum kinetic energy.
- (e) The potential energy of a mass on a Hooke's law spring is proportional to the square of its displacement from equilibrium.

13-3A) A 5 kg mass is hung on the end of a Hooke's law spring with force constant $k = 500 \text{ N/m}$. If the maximum speed of the mass is 5 m/s, what is its maximum displacement?

- (a) 5 m (b) 50 m (c) 0.5 m (d) 0.05 m (e) You don't have enough information to tell.

13-4A) The maximum speed of a harmonic oscillator is 6.28 m/s and its period is $T = 2 \text{ s}$. What is its maximum amplitude of motion?

- (a) 12.6 m (b) 0.5 m (c) 2 m (d) 3.14 m (e) You don't have enough information to tell.

13-5A) If the mass m at the end of a spring is replaced by a mass $9m$, the ratio f_n/f_o of the new to old frequency of oscillation of the vibrating spring should be about:

- (a) 1/9 (b) 1/3 (c) 3 (d) 9 (e) None of these is close.

13-6A) An object undergoing simple harmonic motion takes 1 sec to travel from one end point of its motion to the opposite end point. What is the frequency of motion of this object?

- (a) 2 Hz (b) π Hz (c) 2π Hz (d) $2/\pi$ Hz (e) 1/2 Hz

13-7A) When a mass $m = 36 \text{ gm}$ is hung on the end of an unstretched vertical, massless spring, the spring stretches by 0.4 m. If the spring is then compressed by 0.1 m from this latter position, about what should be the amplitude (A) and period (T) of oscillation?

- (a) $A = 0.9 \text{ m}; T = 1.3 \text{ s}$ (b) $A = 0.9 \text{ m}; T = 6 \text{ s}$ (c) $A = 0.1 \text{ m}; T = 6 \text{ s}$
- (d) $A = 0.1 \text{ m}; T = 1.3 \text{ s}$ (e) None of these is correct.

13-8A) Which one of the following statements is WRONG?

- (a) The acceleration of a particle undergoing simple harmonic oscillation also varies simple harmonically.
- (b) The total energy of a particle undergoing simple harmonic motion is constant.
- (c) As a particle undergoes simple harmonic motion, its energy oscillates between all potential energy at one limit and all kinetic energy at the other limit.
- (d) If the tension in a string is constant, the speed of a wave on the string should not change when the wavelength doubles.
- (e) If the tension in a string is constant, the frequency of oscillation should double when the wavelength doubles.

13-9A) A pendulum of length L undergoes simple harmonic motion at the earth's surface due to the gravitational force mg . Which one of the following is the correct expression for the angular frequency ω of the pendulum?

- (a) $\sqrt{g/L}$ (b) L/g (c) $\sqrt{L/g}$ (d) g/L (e) \sqrt{gL}

13-10A) A pendulum of a certain length has a period of 2 s. If you reduce the pendulum's length to 1/4 of its initial value, what is the new period?

- (a) 1 s (b) 2 s (c) 0.5 s (d) 8 s (e) 4 s

13-11A) The distance between the crest and neighboring trough of a sinusoidal water wave is 3 m. If the frequency of this wave is 2 Hz, what is the speed of the wave?

- (a) 1.5 m/s (b) 12 m/s (c) 6.0 m/s (d) 3 m/s (e) You don't have enough information to tell.

13-12A) If you double the tension in a string and simultaneously double its mass per unit length, the ratio of new to old wave speed is:

- (a) 1/2 (b) 2 (c) 1 (d) 1/4 (e) 4

The location x as a function of time t of a particle undergoing Simple Harmonic Oscillation is given by $x = A\cos(\omega t) = A\cos(2\pi ft)$.

13-13A) If $f = 1$ Hz, what is the particle's location at $t = 0.25$ sec?

- (a) 0 (b) A (c) $A/2$ (d) $-A$ (e) $0.87A$

13-14A) If $\omega = 1$ rad/sec, what is the particle's location at $t = 2\pi$ sec?

- (a) 0 (b) $0.87A$ (c) $A/2$ (d) $-A$ (e) A

13-15A) Which one of the following statements is WRONG?

- (a) If a pendulum clock is running slow, you could speed it up by shortening the length of its pendulum a bit
(b) If a pendulum clock is running slow, you could speed it up by shaving a bit of material off of the mass at its end.
(c) You could increase the wave speed in a rubberized string by pulling harder on the string to increase its tension.
(d) You could increase the wave speed in a rubberized string by decreasing the mass per unit length of the string.
(e) A pulse that reflects from a fixed end of a string moves back with displacement opposite to that it had coming in.

13-1B) A particle will undergo simple harmonic motion if the potential energy of the particle is proportional to:

- (a) The square of the amplitude of motion of the particle.
- (b) The frequency of oscillation of the particle.
- (c) The particle's velocity.
- (d) The particle's displacement from equilibrium.
- (e) The square of the particle's displacement from equilibrium.

13-2B) Which one of the following is WRONG?

- (a) A Hooke's law force will give simple harmonic motion.
- (b) The frequency of oscillation is proportional to the period of oscillation.
- (c) For a given mass and Hooke's law spring, the larger the amplitude of oscillation, the larger the maximum speed.
- (d) If you double the amplitude of oscillation of a mass on a Hooke's law spring, you quadruple its maximum kinetic energy.
- (e) The potential energy of a mass on a Hooke's law spring is proportional to the square of its displacement from equilibrium.

13-3B) A mass $m = 4.0$ kg, hanging from a spring with force constant $k = 80$ N/m is set into vertical motion, starting from rest with initial displacement of 0.1 m. About what should be the speed of the mass as it passes through the equilibrium point?

- (a) zero
- (b) 0.45 m/s
- (c) 2.0 m/s
- (d) 3.4 m/s
- (e) 4.0 m/s

13-4B) A harmonic oscillator has maximum speed of 6.28 m/s and frequency $f = 0.5$ Hz. What is its maximum amplitude of motion?

- (a) 12.6 m
- (b) 0.5 m
- (c) 2 m
- (d) 3.14 m
- (e) You don't have enough information to tell.

13-5B) If the force constant of a spring is reduced by a factor of four, the ratio T_n/T_o of the new to old period of oscillation of the vibrating spring should be about:

- (a) $1/4$
- (b) $1/2$
- (c) 2
- (d) 4
- (e) None of these is close.

13-6B) An object undergoing simple harmonic motion takes 1 sec to travel from one end point of its motion to the opposite end point. What is the angular frequency of motion of this object?

- (a) π rad/s
- (b) 2 rad/s
- (c) 2π rad/s
- (d) $2/\pi$ rad/s
- (e) $1/\pi$ rad/s

13-7B) When a mass $m = 72$ gm is hung on the end of an unstretched vertical, massless spring, the spring stretches by 0.2 m. If the spring is then compressed by 0.2 m from this latter position, about what should be the amplitude (A) and period (T) of oscillation?

- (a) $A = 0.2$ m; $T = 0.9$ s
- (b) $A = 1.0$ m; $T = 0.9$ s
- (c) $A = 1.0$ m; $T = 12$ s
- (d) $A = 0.2$ m; $T = 12$ s
- (e) None of these is correct.

13-8B) Which one of the following statements is WRONG?

- (a) The acceleration of a particle undergoing simple harmonic oscillation also varies simple harmonically.
- (b) The total energy of a particle undergoing simple harmonic motion is not constant.
- (c) As a particle undergoes simple harmonic motion, its energy oscillates between all potential energy at one limit and all kinetic energy at the other limit.
- (d) If the tension in a string is constant, the period of oscillation should double when the wavelength doubles.
- (e) If the tension in a string is constant, the speed of a wave on the string should not change when the wavelength doubles.

13-9B) A pendulum of length L undergoes simple harmonic motion at the earth's surface due to the gravitational force mg . Which one of the following is the correct expression for the frequency f of the pendulum?

- (a) $2\pi\sqrt{g/L}$
- (b) L/g
- (c) $\sqrt{L/g}$
- (d) g/L
- (e) $(1/2\pi)\sqrt{g/L}$

13-10B) A pendulum of a certain length has a period of 2 s. If you quadruple the pendulum's length, about what is the new period?

- (a) 1 s
- (b) 2 s
- (c) 0.5 s
- (d) 4 s
- (e) 8 s

13-11B) The distance between the crest and neighboring trough of a sinusoidal water wave is 1.5 m. If the speed of the wave is 3 m/s, about what is the frequency of the wave?

- (a) 1.0 Hz
- (b) 2.0 Hz
- (c) 4.5 Hz
- (d) 3.0 Hz
- (e) You don't have enough information to tell.

13-12B) If you double the tension in a string and simultaneously halve its mass per unit length, the ratio of new to old wave speed is:

- (a) 1
- (b) 2
- (c) $1/2$
- (d) $1/4$
- (e) 4

The location x as a function of time t of a particle undergoing Simple Harmonic Oscillation is given by $x = A\cos(\omega t) = A\cos(2\pi ft)$.

13-13B) If $f = 1$ Hz, what is the particle's location at $t = 1/6$ sec?

- (a) 0 (b) A (c) $A/2$ (d) $-A$ (e) $0.87A$

13-14B) If $\omega = 1$ rad/sec, what is the particle's location at $t = \pi$ sec?

- (a) 0 (b) A (c) $A/2$ (d) $-A$ (e) $0.87A$

13-15B) Which one of the following statements is WRONG?

- (a) If a pendulum clock is running slow, you could speed it up by lengthening its pendulum a bit
(b) If a pendulum clock is running slow, shaving a bit of material off of the mass at its end doesn't change its period.
(c) You could increase the wave speed in a rubberized string by pulling harder on the string to increase its tension.
(d) You could increase the wave speed in a rubberized string by decreasing the mass per unit length of the string.
(e) A pulse that reflects from a fixed end of a string moves back with displacement opposite to that it had coming in.

13-1A) d 2A) d 3A) c 4A) c 5A) b 6A) e 7A) d 8A) e 9A) a 10A) a 11A) b 12A) c 13A) a 14A) e 15A) b

13-1B) e 2B) b 3B) b 4B) c 5B) c 6B) a 7B) a 8B) b 9B) e 10B) d 11B) a 12B) b 13B) c 14B) d 15B) a