

To: Dan Edmunds  
MSU  
(517) 884-5521

Quote No: **2015-6394**  
November 13, 2015

From: Kevin Washington (858) 776-1421

**1) AdvancedTCA CO6 6U Chassis, AC Input Platform**

Part Number	Quantity	Amount
<b>CO6-6U-DS40-F2-SP1128-P0-AC2</b>	1	\$5,791.00
	10	\$5,112.00
	25	\$4,942.00

Chassis Configuration:

- a) **CO6** - 6-Slot ATCA with Dual Star Backplane, 40G Ready
- b) **6U** - ATCA Rack Mount Chassis with RTM, 6U high, black
- c) **DS40** - Dual Star Backplane, 40G Ready
- d) **F2** - 2 Fan Trays (push/pull) each with 8, 92x92x38 fans for 400W+/slot cooling
- e) **SP1128** -1 Shelf Manager Control Board with ShMM-500, 128Mb
- f) **P0** - No DC option in this configuration
- g) **AC2** - AC input with 2, 850W, AC power modules (Provisions for 4 supplies)
- h) Fan air filter included



**\*\* SPARES AND ACCESSORIES \*\***

**2) ATCA Front Filler Panels with Baffle, Black, *RoHS Compliant***

Part Number	Qty	Amount
<b>041 03894-9</b>	10-499	\$22.99

Product Info:

- a) ATCA Front panel and air impedance blade
- b) Lightweight plastic (UL 94V0) with EMI shielding injection molded
- c) Includes EMI gasket, thumb screws, alignment pins, and black overlay

**3) ATCA RTM Filler Panels with Baffle, Black, *RoHS Compliant***

Part Number	Qty	Amount
<b>041 03895-9</b>	10-499	\$21.29

Product Info:

- a) ATCA Rear Transition Module (RTM) panel and air impedance blade
  - b) Includes Zone-3 filler
  - c) Lightweight plastic (UL 94V0) with EMI shielding injection molded
- Includes EMI gasket, thumb screws, alignment pins, and black overlay

**4) ATCA Shelf Manager Carrier Options, *RoHS Compliant***

Part Number	Qty	Amount
<b>471-05755-2S ShMC with PPS-500/128 (SP128)</b>	1-49	\$1,151.00

- a) SP - Pigeon Point ShMM with standard memory
- b) SP128 - Pigeon Point ShMM with Extended memory (ShMM-500R-333M64F128R)
- c) Shelf Manager options are RoHS Compliant 6/6 with Exemptions



**5) ATCA AC to -48VDC 850W Power Module for CO6, *RoHS Compliant***

Part Number	Qty	Amount
<b>399-04926S</b>	1-49	\$613.00

- a) Pluggable power supply for horizontal AC chassis
- b) Single output: -48V DC (850W total)
- c) Input voltage: 90-264V AC
- d) Hot swap and load sharing for redundant operation
- e) I2C Communication to ShMC (temp, fan, power good)
- f) Packaged as spare - Delivery: Stock-10 weeks
- g) RoHS Compliant 6/6 with Exemptions



**6) ATCA Fan Tray Module for CO6, *RoHS Compliant***

Part Number	Qty	Amount
-------------	-----	--------

**041-06040S**

1

\$725.00

- a) **F** – 1 Fan Tray,
- b) For use in CO6-6U-AC Comtel horizontal chassis
- c) Includes Air Filter (can also use without filter)
- d) RoHS Compliant 6/6 with Exemptions



**7) CO6-6U-AC Accessories**

Part Number	Qty	Amount
<b>038-06041S</b> Fan Tray Air Filter Media (Pack of 10)	1	\$86.00
<b>041 06042S</b> ShMC Filler Panel	1	\$35.00
<b>041 06101S</b> P/S Filter Media (Pack of 10)	1	\$76.00
<b>041 04842S</b> Power Supply Filler Panel	1	\$28.00
<b>041 06044S</b> CO6 PS Cover Panel	1	\$67.00

**8) Terms of delivery**

- Shipment: Small quantity (<5) – Stock to 8 weeks. New production 12 weeks, ARO.
- Delivery: EX WORKS Shangahi, packing included!
- Payment: 30 days net (upon approved credit)
- Validity: 90 days from date of quote
- Currency: US Dollars – If Euro exchange rate varies from current rate greater than 5%, prices may be subject to change.

Please email orders to Comtel Electronics GmbH attention [naorders@comtel-online.com](mailto:naorders@comtel-online.com) with reference to **quote number**. Delivery subject to availability of production at time of placing order. Please contact us prior to placing an order.

***Comtel is an ISO 9001:2008 certified supplier.***

If there are any further questions, please do not hesitate to contact me.

Sincerely,



**Kevin Washington**  
 Director Sales

858-776-1421 p