Worksheet #6 - PHY102 (Spr. 2008)

Generating and plotting lists of numbers, "Do" loops and animation due Friday February 22rd, 6pm

We often ask a computer to do an operation many times. There are a large number of ways of doing these "iterative" tasks in Mathematica. Here are two that you will need this week (look them up in the online help):

Table, Do

You will also need to learn how to plot lists of numbers using: ListPlot, ListPlot3D

Finally, animation is very simple in mathematica, using the **Manipulate or Animate** commands

Problem 1.

(i) Listplot plots a list of numbers on the y axis of a graph. To see how this works, enter the following code

 $sintable=Table[Sin[x], \{x,0,20,.1\}]$ ListPlot[sintable]

(ii) Three dimensional plots are just as easy. Enter and run the following code

```
sintable3D=Table[Sin[x*y], \{x, 0, 4, .1\}, \{y, 0, 4, 0.1\}]
ListPlot3D[sintable3D]
```

(iii) Using the Table function, generate points to represent a circle for y > 0. Plot this data using ListPlot.

Problem 2.

Here is a code to sum the first n integers, with n running from 1 to 100. The first command sets up an array which is used to store the sums.

sumintegers=Range[100];

```
sumintegers[[1]]=1;

Do[

sumintegers[[n]]=sumintegers[[n-1]]+n},

n,2,100,1

]

ListPlot[sumintegers]
```

You can also do this sum using Sum[n,{n,1,100,1}]

Check that you get the same answer.

The Riemann zeta function is defined by $\zeta(p) = \sum_{n=1,\infty} 1/n^p$. This sum is convergent for p > 1(why?). Write a program to find $\zeta(p)$ as a function of the number of terms, N, included in the sum. Plot the value of this sum for p = 3 as a function of N. How many terms do you need to take until your answer appears to be correct to 4 digit accuracy(how big does N need to be)? Check your result by using the intrinsic function **Zeta[3.**]

Problem 3. Enter and run the following code which animates circular motion.

$$\label{eq:animate} \begin{split} Animate[ParametricPlot[\{Cos[t],Sin[t]\},\{t,t1,t1+0.1\},PlotRange \\ ->\{\{-1,1\},\{-1,1\}\}],\{t1,0,2\ Pi\}] \end{split}$$

Modify this code to animate the following projectile motion problem: A mass of 20kg is fired from a height of 2000 meters, with initial angle to the horizontal of 60 degrees and initial speed of 500m/s (ignore drag). Your animation should begin at firing and end when the mass hits ground level.