

**UNCLASSIFIED**

---

---

**AD 296 025**

*Reproduced  
by the*

**DEFENSE DOCUMENTATION CENTER**

FOR

**SCIENTIFIC AND TECHNICAL INFORMATION**

CAMERON STATION, ALEXANDRIA, VIRGINIA



---

---

**UNCLASSIFIED**

NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CATALOGED BY ASTIA  
AS AD NO. \_\_\_\_\_

296025



B-2

COMPREHENSIVE BIBLIOGRAPHY

on

PARAMETRIC AMPLIFIERS

HB



HRB-SINGER, INC.

TISIA

D

Science Park, State College, Pa.

A SUBSIDIARY OF THE SINGER MANUFACTURING COMPANY

"The following publication designations and their descriptions outline the system used by HRB-Singer, Inc., to differentiate the various types of technical publications."

**Project No. Serial No.**

37	-	42	No letter designation is given to Interim Progress Reports.
37	-	R - 42	"R" is designated to all technical reports completing a task on a current project.
37	-	F	"F" is assigned to all Final Report designations.
53	-	M - 46	"M" designation is assigned to all equipment operation and maintenance manuals.
P	-	612	"P" is assigned to all proposals.
S	-	24	"S" describes Special Publications.

**COMPREHENSIVE BIBLIOGRAPHY**

**on**

**PARAMETRIC AMPLIFIERS**

**B. B. Palluconi  
HRB-Singer, Inc.**

**December 4, 1962**

TABLE OF CONTENTS

	<u>PAGE NO.</u>
1. BOOKS	-1-
2. DOCUMENT BIBLIOGRAPHIES	-1-
3. JOURNAL ARTICLES	-1-
4. SUBJECT INDEX	-64-

## INTRODUCTION

This bibliography is comprehensive, covering the period from 1959 to the present, and includes books, document bibliographies and journal articles. All entries are arranged alphabetically by author. At the end of each entry, there is indicated its source e.g. E. I. - Engineering Index; S. A. - Science Abstracts pt. 2 Electrical Engineering. These sources contain abstracts of the entries. There is a subject index at the end of the entry listings.

The following sources were used in compiling this bibliography:

1. Engineering Index 1959 - Nov. 1962
2. Science Abstracts 1959 - Oct. 1962  
Pt. B Electrical Engineering

## BOOKS

- Blackwell, L. A. and Kotzebue, K. L.  
Semiconductor-Diodes Parametric Amplifiers. Prentice-Hall, Inc. (1961)
- Noise in Electronic Devices. London: Chapman and Hall (1961) 100 pp.  
SA-V. 64 3376

## DOCUMENT BIBLIOGRAPHIES

### Autonetics

Microwave parametric amplifiers and related parametric devices. An annotated bibliography. Barbara Ann Bryce. 10 May 1961, 269 p. 946 ref.  
AD 256,963 D12994/-/A

### Wright Air Development Center

Variable reactance parametric amplifiers: a selected bibliography  
3/59 Tech. Note 59-90 E. K. Shaw  
AD 212,563 D8405/-/WADC  
D8330/-/WADC

## JOURNAL ARTICLES

1. Abel, K.  
Parametric amplifiers with three signal frequencies .  
Nachrichtentechnische Fachberichte V. 21, 1960, p. 45-8  
EI-1961 p. 1346
2. Adams, D. K.  
An Analysis of Four-Frequency Nonlinear Reactance Circuits  
IRE Trans. Microwave Theory and Tech. Vol. MTT-8, No. 3, 274-83  
(May 1960)  
EI-1960 p. 1153  
SA-V. 63 6795
3. Adler, R.  
Recent Advances in Electron Beam Parametric Amplifiers. Proc. Nat.  
Electronics Conf. Vol. 15, 58-64 (1959)  
SA-V. 63 7875  
  
Adler, R. see: 96, 174, 468
4. Adler, R., Hrbek, G., and Wade, G.  
A Low-Noise Electron Beam Parametric Amplifier. Proc. Inst.  
Radio Engrs. Vol. 46, No. 10, 1757-8 (Oct. 1958)  
SA-V. 62 1646
5. Adler, R., Hrbek, G., and Wade, G.  
The Quadrupole Amplifier, A Low-Noise Parametric Device. Proc.  
Inst. Radio Engrs, Vol. 47, No. 10, 1713-23 (Oct. 1959)  
SA-V. 63 2355



6. Adler, R., Van Slyck, W. S.  
 The Electron Beam Parametric Amplifier as a Radar System Component.  
 IRE Trans. Military Electronics (USA) Vol. MIL-5, No. 2, 66-71  
 (April, 1961)  
 EI-1961 p. 1334  
 SA-V. 64 5226
7. Adler, R. and Wade, G.  
 Behavior of Thermal Noise and Beam Noise in a Quadrupole Amplifier.  
 Proc. Inst. Radio Engrs. (USA), Vol. 49, No. 4, 802 (April 1961)  
 SA-V. 65 373
8. Aitchison, R. E.  
 A Transmission Matrix Analysis of the Cavity Parametric Amplifier.  
 Proc. Instn. Radio Engrs. Australia Vol. 21, No. 7, 479-80 (July 1960)  
 EI-1960 p. 1155  
 SA-V. 64 3270
9. Aitchison, R. E.  
 Variable Capacitance Parametric Modes. Proc. Instn. Radio Engrs.  
 Australia, Vol. 23, No. 2, 78-85 (Feb. 1962)  
 SA-V. 65 7998
- Akhmanov, S. A. see: 10
10. Akulina, D. K., Akhmanov, S. A., Gvozdever, S. D., Gorshkov, A. S.  
 and Trofimenko, I. T.  
 Parametric Phenomena in Wave Systems with Long Electron Streams.  
 Radio tekhnika i Elektronika (USSR) Vol. 5, No. 10, 1736-9 (Oct. 1960)  
 In Russian  
 SA-V. 65 1042
11. Amoss, J. W. and Rodrigue, G. P.  
 A Resonant Slot Parametric Amplifier. Proc. Inst. Radio Engrs.  
 (USA) Vol. 49, No. 12, 1939 (Dec. 1961)  
 SA-V. 65 6971
12. Anderson, D. B., Aukland, J. C.  
 Transmission-Phase Relations of Four-Frequency Parametric Devices.  
 IRE-Trans. on Microwave Theory and Techniques V. MTT-9, N. 6,  
 Nov. 1961, p. 491-8  
 SA-V. 65 5510  
 EI-1962 168
13. Anderson, D. R.; Leon, B. J.  
 Analysis of Circuits Containing Variable-Capacitance Diodes. IRE  
 Int. Convention Rec. V. 9, pt. 4, (Automatic Control, Circuit Theory  
 Information Theory) 1961 p. 182-90  
 EI-1961 p. 1344

14. Angel, Y.  
Orthogonal Magnetic Control of Parametric Systems. Acta  
Electronica (France) Vol. 4, No. 3, 359-80 (July, 1960) in French  
SA-V. 65 1032
15. Angel, Y.  
Parametric Systems Employing Crossed Magnetic Fields.  
Nachrichtentechnische Fachberichte. V. 21, 1960, p. 49-59  
EI-1961 p. 1346
16. Angel, Y.  
Perpendicular Magnetic Control of Parametric Systems. Acta  
Electronica V. 4, N. 3, July 1960, p. 359-80  
EI-1961 p. 1346
- Angel, Y. see: 305
17. Angel, Y., Bontry, G. A.  
Parametric Amplifiers and Annihilation of Ferromagnetic  
Hysteresis of Orthogonal Polarization. C. R. Acad. Sci. (Paris)  
Vol. 248, No. 3, 384-6 (Jan. 19, 1959) in French  
SA-V. 62 7362
18. Aoki, Y.  
Parametric Amplifier Utilising a Ferroelectric Substance. Mem.  
Fac. Engng. Osaka City Univ (Japan) Vol. 2, 93-103, (Dec. 1960)  
SA-V. 64 6895
19. Aoki, Y.  
Proposed Parametric Amplifier Utilizing Ferroelectric Substance.  
IRE Trans. Microwave Theory and Tech. Vol. MTT-8, No. 4, 465-6  
(July 1960)  
SA-V. 64 2502
20. Aron, R. and Sard, E. W.  
Gain Bandwidth Relations in Negative Resistance Amplifiers. Proc.  
Inst. Radio Engrs. (USA) Vol. 49, No. 1, 355-6 (Jan. 1961)  
SA-V. 64 3264
21. Ashkin, A.  
A Low-Noise Microwave Quadrupole Amplifier. Proc. Inst. Radio  
Engrs. (USA), Vol. 49, No. 6, 1016-20 (June 1961)  
EI-1961 p. 1346  
SA-V. 64 6246
22. Ashkin, A.  
Parametric Amplification of Space Charge Waves. J. Appl. Phys,  
Vol. 29, No. 12, 1646-51 (Dec. 1958)  
EI-1961 p. 1105  
SA-V. 62 976

- Ashkin, A. see: 62, 160
23. Ashkin, A., Bridges, T. J., Louisell, W. H., Quate, C. F.  
 Parametric Amplification of Space-Charge Waves. Proc. Instn.  
 Elect. Engrs. Vol. 105, Part B, Suppl, No. 11, 649-51, (1958)  
 SA-V. 62 3659
24. Ashkin, A., Bridges, T. J., Louisell, W. H., Quate, C. F.  
 Parametric Electron Beam Amplifiers. IRE Wescon Convention Record  
 Vol. 2, Pt. 3, 13-22 (1958)  
 SA-V. 62 2988
25. Ashkin, A., Louisell, W. H., Quate, C. F.  
 Fast Wave Couplers for Longitudinal Beam Parametric Amplifiers.  
 J Electronics and Control Vol. 7, No. 1, 1-32 (July 1959)  
 SA-V. 63 2354
- Aukland, J. C. see: 12
- Bain, W. F. see: 29, 30, 31
- Bakanowski, A. E. see: 451
26. Baldwin, L. D.  
 Nonreciprocal Parametric Amplifier Circuits. Proc. Inst. Radio  
 Engrs. (USA) Vol. 49, No. 6, 1075 (June 1961)  
 SA-V. 65 359
27. Baldwin, L. D.  
 Isolated Parametric Amplifier Has Low Noise Figure. Electronics  
 V. 35, No. 11, Mar. 16, 1962, p. 58-9  
 EI-1962 168
28. Bass, J. C.  
 A D.C. Pumped Amplifier with a Two-Dimensional Field Structure.  
 Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 12, 1957-8 (Dec. 1961)  
 SA-V. 65 9528
29. Bateman, R. and Bain, W. F.  
 New Thresholds in VHF and UHF Reception, Devices and Diodes.  
 QST, Vol. 43, p. 11, Jan. 1959
30. Bateman, R. and Bain, W. F.  
 New Thresholds in VHF and UHF Reception, Circuit Theory and Diode  
 Details. QST Vol. 43, pp. 28-35, Feb. 1959
31. Bateman, R. and Bain, W. F.  
 New Thresholds in VHF and UHF Reception, Practical Results. QST,  
 Vol. 43, pp. 35-39, March 1959

- Beam, W. R. see: 205
32. Beam, R. E. and Brodwin, M. E.  
 Report of Advances in Microwave Theory and Techniques in U.S.A -  
 1958. I.R.E. Trans. Microwave Theory and Tech. Vol. MTT-7, No. 3,  
 308-25, (July 1959)  
 SA-V. 62 7227
- Bean, C. A. see: 287
33. Becker, C. H.  
 Parametric Quartz Amplifier. I.R.E. Western Electronic Show and  
 Convention (WESCON). Paper 7/2, 1961, 11p.  
 EI-1961 p. 1346
- Becker, R. C. see: 90
- Begg, B. see: 330
34. Belkin, M. K.  
 A General Theory of Regenerative Circuits With Variable Parameters.  
 Radio Tekhnica (USSR) Vol. 16, No. 1, 33-40 (Jan. 1961) in Russian.  
 SA-V. 65 6983
35. Bell, C. V. and Wade, G.  
 Circuit Considerations in Traveling-Wave Parametric Amplifiers.  
 I.R.E. Wescon Convention Record. Vol. 3, Pt. 2, 75-82 (1959)  
 EI-1959 p. 1104  
 SA-V. 62 7366
36. Bell, C. V. and Wade, G.  
 Iterative Traveling-Wave Parametric Amplifiers. I.R.E. Trans.  
 Circuit Theory. Vol. CT-7, No. 1, 4-11 (March 1960)  
 SA-V. 63 6243
37. Bell, C. V. and Wade, G.  
 Noise Figure of Iterative Traveling Wave Parametric Amplifiers.  
 I.R.E. Wescon Convention Rec. Vol. 4, Pt. 1 (Antennas; Microwave  
 Theory and Tech.) 1960. p. 55-60  
 EI-1961 p. 1346  
 SA-V. 64 737
38. Bening, F.  
 Parametric Frequency Changers. Nachrichtentechnik (Germany)  
 Vol. 11, No. 3, 103-6 (March 1961) in German  
 SA-V. 64 6896
39. Bennett, W. R.  
 Amplification in Nonlinear Reactive Networks. I.R.E. Trans.  
 Circuit Theory (USA) Vol. CT-7, No. 4, 440-6 (Dec. 1960)  
 SA-V. 64 3980

- Berk, A. D. see: 129
40. Bernard, M.  
 Parametric Amplification. *Onde Electrique*, Vol. 40, No. 395,  
 March 1960, p. 231-4  
 EI-1960 p. 1154
41. Bertoin, F. and Jelenski, A.  
 Concerning the Transmission of Signals of any Form with the  
 Aid of a Degenerate Parametric Amplifier. *C. R. Acad. Sci. (Paris)*  
 Vol. 250, No. 1, 88-90 (Jan. 4, 1960) in French.  
 SA-V. 63 2980
- Bloom, S. see: 79, 80
42. Bloom, S. and Chang, K. K. N.  
 Theory of Parametric Amplification Using Nonlinear Reactances.  
*RCA Rev.*, Vol. 18, No. 4, Dec. 1957 p.578-93  
 EI-1958 p.1004
43. Bloom, S. and Chang, K. K. N.  
 Parametric Amplification Using Low-Frequency Pumping.  
*J. Applied Phys.* Vol. 29, p. 594, March 1958.
- Blotekjaer, K. see: 477
44. Blotekjaer, K. and Wessel-Berg, T.  
 Microwave Amplification with the Aid of Cyclotron Waves.  
*Elektrotek Tidsskrift (Norway)*, Vol. 74, No. 6, 81-7 (Feb. 25, 1961)  
 in Norwegian.  
 SA-V. 64 3970
45. Bobisch, P. and Sondhauss, C.  
 Influence of the Time Dependent Series Resistance of the  
 Capacitance Diode in the Mavar Up-Convertors. *J. Electronics and*  
*Control*, Vol. 7, No. 4, 344-66 (Oct. 1959) in German.  
 SA-V. 63 3622
46. Bobisch, P. and Sondhauss, C.  
 Reactance-Diodes and Their Application to Wideband Waveguide  
 Amplifiers. *Telefunken-Revue (Germany)* No. 38, 115-24 (Dec. 1960) in  
 German.  
 SA-V. 65 1926
47. Bollée, B. and De Vries, G.  
 Experiments in the Field of Parametric Amplifications. *Phillips*  
*Tech. Rev.* Vol. 21, No. 2, 47-51 (1959-60)  
 EI-1960 p. 1154  
 SA-V. 63 3623

48. Bomhardt, K.  
A Tunable Negative - Resistance Parametric Amplifier for the U.H.F. Band. Arch Elekt. Ubertragung (Germany) Vol. 15, No. 3, 153-60 (March 1961) in German.  
SA-V. 65 366
- Bomhardt, K. see: 313
49. Bosc, H.  
Theory and Practice of Diode Parametric Amplifiers at Microwave Frequencies. Onde elect. (France) Vol. 61, 704-13 (Sept 1961) in French.  
SA-V. 65 2838
50. Bossard, B. B.  
Superregenerative Reactance Amplifier. Proc. Inst. Radio Engrs. Vol. 47, No. 7, 1269-71 (July 1959)  
SA-V. 62 7370
- Bossard, B. see: 354
51. Bossard, B. B., Frost, E. and Fishbein, W.  
X-Band Super-Regenerative Parametric Amplifier. Proc. Inst. Radio Engrs. Vol. 48, No. 7, 1329-30 (July 1960)  
SA-V. 63 7887
52. Bossard, B. B. and Pettai, R.  
Broad-Band Parametric Amplifiers by Simple Experimental Techniques. Proc. Inst. Radio Engrs. (USA), Vol. 50, No. 3 (I), 328-9 (March 1962)  
SA-V. 65 7962
- Boutry, G. A. see: 17
53. Boyd, C. R.  
Noise Figure Measurements Relating the Static and Dynamic Cutoff Frequencies of Parametric Diodes. Proc. Inst. Radio Engrs. (USA), Vol. 48, No. 12, 2019-20 (Dec. 1960)  
SA-V. 64 3971
54. Boyd, C. R.  
Sign Considerations for Parametric Amplifier Low-Noise Performance. I.R.E. Trans. Military Electronics, Vol. MIL-5, No. 2, 72-80 (April 1961)  
EI-1961 p. 1345  
SA-V. 64 5562
- Boyd, M. R. see: 373
55. Boyet, H. and Fleri, D.  
A Method for Broad-Banding Synchronism in Traveling-Wave Parametric Devices. Proc. Inst. Radio Engrs. Vol. 48, No. 7, 1331-3 (July 1960)  
SA-V. 63 7889

56. Boyet, H., Fleri, D. and Renton, C. A.  
 Stability Criteria for a Tunnel-Diode Amplifier. Proc. Inst.  
 Radio Engrs. (USA), Vol. 49, No. 12, 1937 (Dec. 1961)  
 SA-V. 65 6979
- Brand, F. A. see: 61
57. Brand, F. A., Matthei, W. G. and Saad, T.  
 The Reactatron-A Low-Noise, Semiconductor Diode, Microwave  
 Amplifier. Proc. Inst. Radio Engrs. Vol. 47, No. 1, 42-4 (Jan., 1959)  
 SA-V. 62 2318
58. Brandli, A.  
 Parametric Circuits at Low Frequencies Using Ferrites and Thin  
 Magnetic Films. Bull. Assoc. Suisse Elect. (Switzerland) Vol. 51,  
 No. 20, 1046-53 (Oct. 8, 1960)  
 SA-V. 65 1035
59. Breitzer, D. I., Sard, E. W.  
 Low Frequency Prototype Backward-Wave Reactance Amplifier.  
 Microwave J. Vol. 2, No. 8, Aug. 1959, p. 34-7  
 EI-1959 p. 1104
60. Brett, C. F.  
 Parametric Amplifier for Space-Probe Tracking. Electronics  
 (USA) Vol. 34, No. 4, 41-5 (Jan. 27, 1961)  
 SA-V. 64 5232
61. Brett, H., Brand, F. A., Matthei, W. G.  
 A Varactor Diode Parametric Standing-Wave Amplifier. Proc. Inst.  
 Radio Engrs. Vol. 49, No. 2, 509-10 (Feb. 1960)  
 SA-V. 64 3265
- Bridges, T. J. see: 23, 24, 280
62. Bridges, T. J., Ashkin, A.  
 A Microwave Adler Tube. Proc. Inst. Radio Engrs. Vol. 48,  
 No. 3, 361-3 (March 1960)  
 SA-V. 63 4251
- Brodwin, M. E. see: 32
63. Brodzinsky, A., Macpherson, A. C.  
 Noise Measurement of Negative Resistance Amplifiers. IRE-Trans.  
 on Instrumentation V. I-8, N. 2, Sept. 1959, p. 44-6  
 EI-1960 p. 1154

64. Bunkin, F. V.  
 (Parametric Excitation of Quantum Systems) Radiotekhnika i  
 Elektronika V. 5, N. 2, Feb. 1960, p. 296-300 (Eng. Transl. Radio  
 Eng. & Elec. V. 5, N. 2, 1960, p. 168-74)  
 EI-1960 p. 1154
65. Bura, P.  
 The Degenerate and Quasi-Degenerate Mode of Parametric  
 Amplification. IRE Trans. Circuit Theory (USA) Vol. CT-7, No. 3,  
 200-10 (Sept. 1960)  
 EI-1961 p. 1345  
 SA-V. 64 2500
- Bura, P. see: 358
- Burbidge, G. A. see: 211
- Butti, A. see: 428
66. Callen, H. B.  
 A Note on the Manley-Rowe Energy Relations for Parametric  
 Amplifiers. J. Franklin Inst. Vol. 269, No. 2, 93-6 (Feb. 1960)  
 SA-V. 63 3620
67. Carroll, J. E.  
 Subharmonic Parametric Pumping of a Quadrupole Amplifier.  
 J. Electronics and Control (G. B.) Vol. 11, No. 5, 321-40 (Nov. 1961)  
 SA-V. 65 2837
68. Cassedy, E. S. Jr.  
 A Surface Wave Parametric Amplifier. Proc. Inst. Radio Engrs.  
 Vol. 47, No. 8, 1375-6 (Aug. 1959)  
 SA-V. 62 7373
69. Cassedy, E. S.  
 Temporal Instabilities in Travelling-Wave Parametric Amplifiers.  
 IRE Trans. Microwave Theory and Tech. (USA) Vol. MTT-10, No. 1,  
 86-7, (Jan. 1962)  
 SA-V. 65 7956
70. Chakraborti, N. B.  
 Lower Frequency Pumping Electron Beam Parametric Amplifier.  
 J. Electronics and Control. Vol. 8, No. 3, 161-5 (March 1960)  
 SA-V. 63 7880
71. Chakraborti, N. B.  
 Analysis of Fast Wave Couplers for Transverse Field Beam Type  
 Parametric Amplifiers. J. Electronics and Control (G. B.) Vol. 10,  
 No. 2, 147-51 (Feb. 1961)  
 SA-V. 64 2567



72. Chakraborti, N. B. and Dikshit, K. D.  
Some Possible Arrangements of Parametric Amplifiers Employing  
Lower Frequency Pumping. Indian J. Phys. Vol. 33, No. 10, 431-51  
(Oct. 1959)  
SA-V. 63 6804
73. Chalk, G. O.  
Electron-Beam Parametric Amplifier for 200 MC/s Region. Instn.  
Elec. Engrs.-Proc. Vol. 108, Pt. B (Electronic & Communication Eng)  
No. 37, Jan. 1961, p. 125-32  
SA-V. 64 1467  
EI-1961 p. 1345
74. Chang, K. K. N.  
Harmonic Generation with Nonlinear Reactances. RCA Rev.,  
Vol. 19, pp. 455-464, Sept. 1958
75. Chang, K. K. N.  
A Parametric-Amplifier Using Lower-Frequency Pumping. 1958  
IRE WESCON Convention Record Pt. 3, pp. 23-27
76. Chang, K. K. N.  
Four-Terminal Parametric Amplifier. Proc. Inst. Radio Engrs.,  
Vol. 47, No. 1, 81-2 (Jan. 1959)  
SA-V. 62 2311
77. Chang, K. K. N.  
Analysis of a Four-Terminal Parametric Amplifier. RCA Rev.  
Vol. 20, No. 2, 205,21 (June 1959)  
EI-1959 p. 1104  
SA-V. 62 6598
78. Chang, K. K. N.  
Low Noise Tunnel-Diode Amplifier. Proc. Inst. Radio Engrs.  
Vol. 47, No. 8, 1379-81 (Aug. 1959)  
SA-V. 62 7357
- Chang, K. K. N. see: 42, 43, 91, 98, 360
79. Chang, K. K. N. and Bloom, S.  
A Parametric Amplifier Using Lower-Frequency Pumping. Proc.  
I E E, 105 B (Suppl. 11) pp. 680-3 May 1958  
SA-V. 62 3662
80. Chang, K. K. N., Bloom, S.  
Parametric Amplifier Using Lower-Frequency Pumping. Inst.  
Radio Engrs.-Proc. V. 46, N. 7, July 1958, p. 1383-6  
EI-1958 p. 1004

81. Chang, N. C.  
Parametric Amplification and Conversion in Propagating Circuits  
Using Nonlinear Reactances. Proc. IRE, Vol. 47, p. 2117, Dec. 1959  
SA-V. 64 739
82. Chang, N. C.  
Noise and Bandwidth Considerations of Kompfner Dip Couplers for  
Electron Beam Parametric Amplifiers. Proc. Inst. Radio Engrs. (USA)  
Vol. 49, No. 3, 637 (March 1961)  
SA-V. 64 3269
- Charkin, B. D. see: 294
- Chausseaux see: 356
83. Chen, C. H.  
Tunnel Diode Amplifier. Semiconductor Prod. (USA) Vol. 5,  
No. 4, 19-25 (April 1962)  
SA-V. 65 9538
- Chung, M. see: 250
84. Clark, R. F. and Covington, A. E.  
A Parametric Amplifier for the  $10^{-7}$  cm Compound Interferometer.  
J. Roy. Astron. Soc. Canada Vol. 56, No. 2, 53-66 (April 1962)  
SA-V. 65 9526
85. Clavier, P. A.  
Parametric and Pseudo-Parametric Amplifiers. Proc. Inst. Radio  
Engrs. Vol. 47, No. 9, 1651 (Sept. 1959)  
SA-V. 63 3624
86. Clavier, P. A.  
The Manley-Rowe Relations. Proc. Inst. Radio Engrs. Vol. 47,  
No. 10, 1781-2 (Oct. 1959)  
SA-V. 63 4241
87. Cohen, S.  
Experimental Verification of Parametric Amplifier Excess Noise  
Using Transformer Coupling. Proc. Inst. Radio Engrs. Vol. 48, No. 1,  
108-9 (Jan. 1960)  
SA-V. 63 2983
88. Cohen, S.  
Noise Performance of VHF Parametric Amplifiers. Electronic  
Equipment Eng. Vol. 8, No. 4, April 1960, p. 50-4  
EI-1960 p. 1154

89. Cohn, S. B.  
The Noise Figure Muddle. Microwave Journal, Vol. 2, pp. 7, 9,  
11, March 1959
90. Coleman, P. D. and Becker, R. C.  
Present State of the Millimeter Wave Generation and Technique  
Art-1958. IRE Trans. Microwave Theory and Tech. Vol. MTT-7, No. 1  
42-61 (Jan. 1959)  
SA-V. 62 2916
91. Conrad, G., Chang, K. K N., Hughes, R.  
The Diode-Loaded Helix as a Microwave Amplifier. Proc. Inst.  
Radio Engrs. Vol. 48, No. 5, 939-40 (May, 1960)  
SA-V. 63 5661
92. Cook, J. S. and Louisell, W. H.  
Fast Longitudinal Space Charge Wave Parametric Amplifiers.  
IRE WESCON Convention Record Vol. 3, Pt. 3, 77-85 (1959)  
SA-V. 62 7368
93. Cook, J. S. and Louisell, W. H.  
Traveling-Wave Tube Equations Including the Effects of Parametric  
Pumping. Proc. Inst. Radio Engrs. Vol. 47, No. 11, 2016 (Nov. 1959)  
SA-V. 63 4248
94. Cook, J. S., Louisell, W. H., Quate, C. F.  
Space-Charge Wave Parametric Amplifiers. J. Electronics and  
Control, Vol. 8, No. 1, 1-18 (Jan, 1960)  
SA-V. 63 6245
95. Copeland, J. R. and Robertson, W. J.  
Design of Antennaversers and Antennafiers. Electronics (USA)  
Vol. 34, No. 40, 68-71 (Oct. 6, 1961)  
SA-V. 65 2833
- Cott, P. J. see: 378
- Countiss, D. E. see: 431
- Covington, A. E. see: 84
96. Crumly, C. B. and Adler, R.  
Electron-Beam Parametric Amplifiers. Electronic Industr.  
Vol. 18, No. 11, 73-6 (Nov. 1959)  
SA-V. 63 859
97. Cuccia, C. L.  
Parametric Amplification, Power Control and Frequency Multiplication  
at Microwave Frequencies using Cyclotron-Frequency Devices. RCA Rev.  
Vol. 21, No. 2, 228-44 (June 1960)  
SA-V. 63 6249

98. Cuccia, C. L. and Chang, K. K. N.  
 The Helix Parametric Amplifier-A Broadband Solid-State  
 Microwave Amplifier. RCA Rev. (USA) Vol. 22, No. 2, 219-44  
 (June 1961)  
 EI-1961 p. 1345  
 SA-V. 65 1933
99. Cullen, A. L.  
 A Travelling Wave Parametric Amplifier. Nature, Vol. 181,  
 p. 332 Feb. 1, 1958
100. Cullen, A. L.  
 Theory of the Travelling-Wave Parametric Amplifier. Proc.  
 Instn. Elect. Engrs., Paper 2991 E publ. Aug. 1959 (Vol. 107B,  
 101-7)  
 EI-1960 p. 1155  
 SA-V. 62 4208
101. Currie, M. R. and Gould, R. W.  
 Coupled Cavity Traveling-Wave Parametric Amplifiers. I-Analysis  
 Proc. Inst. Radio Engrs. (USA) Vol. 48, No. 12, 1960-73 (Dec. 1960)  
 EI-1961 p. 1345  
 SA-V. 64 2505
102. Dachert, F.  
 (Theory of Parametric Amplification when using Diodes)  
 Annales de Radioelectricite Vol. 15, No. 60 Apr. 1960, p. 109-19  
 SA-V. 63 6803  
 EI-1960 p. 1154
103. Dahlke, W., Maurer, R. and Schubert, J.  
 Theory of the Diode Variable-Reactance Amplifier with Parallel  
 (Tuned) Circuits. Arch. Elekt. Ubertragung, Vol. 13, No. 8, 321-30  
 (Aug. 1959) In German  
 SA-V. 63 2351
- Van Damme, K. J. see: 371
104. Damon, R. W. and Eshbach, J. R.  
 Theoretical Limitations to Ferromagnetic Parametric Amplifier  
 Performance. IRE Trans. Microwave Theory & Tech. Vol. MTT-8,  
 No. 1, 4-9 (Jan. 1960)  
 SA-V. 63 4257
105. Danielson, W. E.  
 Low Noise in Solid State Parametric Amplifiers at Microwave Fre-  
 quencies. J. Appl. Phys., Vol. 30, No. 1, 8-15 (Jan. 1959)  
 SA-V. 62 1649
- DAW, A. N. see: 108

106. Day, D. B.  
Parametric Diodes - Design and Fabrication. J. Brit. Instn.  
Radio Engrs. Vol. 21, No. 3, 283-6 (March 1961)  
SA-V. 64 3305
107. Dayem, A.  
Effect of Upper Side Bands in Traveling Wave Parametric Amplifiers.  
Bull. Assoc. Suisse Elect. (Switzerland) Vol. 51, No. 20, 1054-61  
(Oct. 8, 1960)  
SA-V. 65 1036
108. Deb, S. and Daw, A. N.  
Molecular and Allied Devices for Generation and Amplification of  
Microwaves. J. Sci. Industr. Res. Vol. 18A, No. 11, 510-19 (Nov. 1959)  
SA-V. 63 7870
109. De Castro, E.  
Theory of Parametric Amplifiers and Resistance - Type Converter-  
Amplifiers. Alta Frequenza (Italy), Vol. 30, No. 6, 418-29 (June 1961)  
in Italian.  
SA-V. 65 365
110. Della Torre, E. and Sirkis, M. D.  
Power Conversion with Nonlinear Reactances. I.R.E. Trans.  
Circuit Theory (USA), Vol. CT-8, No. 2, 95-9 (June 1961)  
SA-V. 65 281
111. De Loach, B. C.  
17.35 and 30 k Mc Parametric Amplifiers. Proc. Inst. Radio Engrs.  
Vol. 48, No. 7, 1323 (July, 1960)  
SA-V. 64 3978
112. De Loach, C. B. and Sharpless, W. M.  
An X-Band Parametric Amplifier. Proc. Inst. Radio Engrs. Vol. 47  
No. 9, 1664-5 (Sept. 1959)  
SA-V. 63 3625
113. De Loach, B. C. and Sharpless, W. M.  
X-Band Parametric Amplifier Noise Figure. Proc. IRE, Vol. 47,  
p. 2115 (Dec. 1959)  
SA-V. 64 3261
114. Denton, R. T.  
Theoretical and Experimental Characteristics of Ferro Magnetic  
Amplifier Using Longitudinal Pumping. J. Applied Physics, Vol. 32,  
No. 3 (Supp.), Mar. 1961, p. 3008-78  
SA-V. 64 2503  
EI-1961 p. 1347

115. Denton, R. T. and Snow, W. B.  
Origin of Noise in a Ferromagnetic Parametric Amplifier.  
Proc. Inst. Radio Engrs. (USA), Vol. 50, No. 2, 208 (Feb. 1962)  
SA-V. 65 9529
- Derkach, Yu, T. see: 446
- Desmares, P. see: 261
116. Deutsch, S.  
Symmetrical Matrix Analysis of Parametric Amplifiers and Converters.  
Proc. Inst. Radio Engrs. Vol. 48, No. 9, 1595-602 (Sept. 1960)  
EI-1960 p. 1154  
SA-V. 63 7892
- De Vries, G. see: 47
- Dikshit, K. D. see: 72
117. Dix, C. H. and Willshow, W. E.  
Microwave Valves: A Survey of Evolution Principles of Operation  
and Basic Characteristics. J. Brit. Instn. Radio Engrs. Vol. 20, No. 8,  
577-609 (Aug. 1960)  
SA-V. 63 6842
118. Dormont, H.  
Introduction to the Study of Parametric Phenomena. Acta electronica  
(France) Vol. 4, No. 3, 329-58 (July 1960)  
EI-1961 p. 1346  
SA-V. 65 1031
- Douthett, D. see: 240
119. Drake, F. D. and Ewen, H. I.  
A Broadband Microwave Source Comparison Radiometer for Advanced  
Research in Radio Astronomy. Proc. IRE, Vol. 46, p.p. 53-60 (Jan. 1958)
120. Druey, W. and Rickenbach, H.  
Theoretical Remarks on the Substitution of a Parametric Amplifier  
in Radio Telescopes. Bull. Assoc. Suisse Elect. (Switzerland) Vol. 51,  
No. 20, 1061-7 (Oct. 8, 1960) in German.  
SA-V. 65 4644
121. Duinker, S.  
General Properties of Frequency Converting Networks. Phillips  
Research Repts. Vol. 13, p.p. 37-78 (Feb. 1958, p.p. 101-148 (April 1958)
122. Duinker, S.  
General Energy Relations for Parametric Amplifying Devices.  
Tijdschr. Ned. Radiogenoot. Vol. 24, No. 5, 287-310 (1959)  
SA-V. 63 5031

123. D'yakov, Yu. E.  
One Permissible Error in the Consideration of a Two-Circuit  
Parametric Amplifier. Radio tekhnika i Elektronika (USSR), Vol. 6, No. 5,  
841 (May 1961) in Russian.  
SA-V. 65 4193
124. D'yakov, Yu. E.  
The Transfer Function of a Superregenerative Parametric Amplifier.  
Radio tekhnika i Elektronika (USSR), Vol. 6, No. 5, 838-40 (May 1961)  
in Russian.  
SA-V. 65 4192
125. Edwards, C. E.  
Frequency Conversion by Means of a Nonlinear Admittance.  
Bell System Technical Journal, Vol. 35, p.p. 1403-1416, Nov. 1956  
Eisenmenger, W. see: 317
126. Elco, R.  
Low Frequency Parametric Amplification Using Variable Reactance  
of Inductance-Motor Winding. Oesterreichisches Ingenieur-Archiv,  
Vol. 16, No. 1, June 1961, p. 13-29  
EI-1961 p. 1346
127. Elco, R. A. and Nee, J.  
The Reactance Tube as a Parametric Frequency Divider and Amplifier.  
Proc. Inst. Radio Engrs. Vol. 49, No. 3, 624-5 (March 1961)  
SA-V. 64 3268  
Elsner, R. see: 420
128. Elsner, R. Pungs, L. and Steiner, K. H.  
The Parametric Amplifier. Frequenz, Vol. 14, No. 2, 59-67  
(Feb. 1960) in German.  
EI-1960 p. 1153  
SA-V. 63 5028
129. Endler, H. Berk, A. D. and Whirry, W. L.  
Relaxation Phenomena in Diode Parametric Amplifiers. Proc. Inst.  
Radio Engrs. Vol. 47, No. 8, 1376-8 (Aug. 1959)  
SA-V. 62 7372
130. Eng, S. T. and Solomon, R.  
Frequency Dependence of the Equivalent Series Resistance for a  
Germanium Parametric Amplifier Diode. Proc. IRE, Vol. 48, p. 358  
(March 1960)
131. Eng, S. T. and Waters, W. P.  
A Gold-Bonded Germanium Diode for Parametric Amplification.  
Proc. Nat. Electronics Conf. Vol. 15, p. 83-91 (1959)  
SA-V. 63 7919

132. Engelbrecht, R. S.  
A Low-Noise Nonlinear Reactance Traveling-Wave Amplifier.  
Proc. IRE, Vol. 46, p. 1655, Sept. 1958.
133. Engelbrecht, R. S.  
Nonlinear-Reactance (Parametric) Traveling-Wave Amplifiers for UHF.  
Digest of Technical Papers, 1959, Solid-State Circuits Conf. Philadelphia,  
Pa., February 12, 1959.
134. Engelbrecht, R. S.  
Parametric Energy Conversion by Nonlinear Admittances.  
Proc. Inst. Radio Engrs. (USA), Vol. 50, No. 3(I), 312-21 (March 1962)  
SA-V. 65 6972
- Enomoto, H. see: 346
- Erwen, H. I. see: 119
- Eshbach, J. R. see: 104
- Etkin, V. S. see: 148, 202
135. Fabrikov, V. A.  
A New Principle for Amplifying Microwave Oscillations Using  
Ferrites. Radio tekhnika i Elektronika (USSR), Vol. 6, No. 10, 1707-17,  
Oct. 1961 in Russian.  
SA-V. 65 9537
136. Farmer, E. D.  
The Noise and Gain Properties of Molecular and Parametric  
Amplifiers. J. Electronics and Control, Vol. 7, No. 3, 214-32  
(Sept. 1959)  
SA-V. 63 2356
137. Fatuzzo, E. and Roetschi, H.  
Ferroelectric Parametric Amplifier. Proc. Inst. Radio Engrs. (USA)  
Vol. 50, No. 4(I), 462 (April 1962)  
SA-V. 65 11040
- Fedorov, V. G. see: 447
138. Fischer, S. T.  
Bandwidth of Lower Sideband Parametric Up-Converters and Parametric  
Amplifiers. Proc. Inst. Radio Engrs., Vol. 48, No. 5, 946 (May 1960)  
SA-V. 63 5660
- Fishbein, W. see: 51



139. Fisher, S. T.  
Theory of Single-Resonance Parametric Amplifiers. Proc. Inst. Radio Engrs., Vol. 48, No. 7, 1227-32 (July 1960)  
EI-1960 p. 1154  
SA-V. 63 6247
- Fleri, D. see: 55, 56
140. Fleri, D. and Sie, J.  
The Effect of Parasitic Diode Elements on Traveling-Wave Parametric Amplification. Proc. Inst. Radio Engrs., Vol. 48, No. 7, 1330-1, (July 1960)  
SA-V. 63 7888
141. Fontana, J. R. , Pantell, R. H. and Smith, R. G.  
Parametric Effects in a Two-Level Electric Dipole System. J. Appl. Phys. (USA), Vol. 33, No. 6, 2085-8 (June 1962)  
SA-V. 65 11038
142. Forster, J. H. and Uenohara, N.  
Diffused Silicon Mesa Diodes for Use in Refrigerated Parametric Amplifiers. Proc. Inst. Radio Engrs. (USA), Vol. 50, No. 1, 82-3 (Jan. 1962)  
SA-V. 65 7964
143. Francois, G.  
Parametric Amplification. Rev. H. F. (Belgium, Vol. 5, No. 4, 79-100, 1961) in Dutch.  
SA-V. 65 9536
144. Fredricks, R. W.  
Traveling Wave Analysis of a Class of Parametric Amplifiers Based Upon the Hill Equation. J. Appl. Phys. (USA), Vol. 32, No. 5, 901-4 (May 1961)  
EI-1962 p. 521  
SA-V. 64 3258
145. Frost, A. D.  
Designing Antennas to Include Paramagnetic Amplifiers. Electronics, Vol. 33, No. 47, p. 96-7, Nov. 18, 1960.  
EI-1961 p. 1352
146. Frost, A. D.  
Parametric Amplifier Antenna. Proc. Inst. Radio Engrs., Vol. 48, No. 6(I), 1163-4 (June 1960)  
SA-V. 63 7881
- Frost, E. see: 51
- Fukada, M. see: 266

147. Gertsenshtein, M. E. and Kinber, B. E.  
Phase Selectivity of a Single-Circuit Parametric Amplifier.  
Radioteknika i Elektronika (USSR), Vol. 5, No. 3, 422-9 (March 1960)  
in Russian. Translation: Radio Eng. & Electronics, Vol. 5, No. 3,  
1960, p. 94-104.  
EI-1961 p. 1345  
SA-V. 64 4642
148. Gershenson, E. M. and Etkin, V. S.  
The Spectral and Amplitude-Frequency Characteristics of Super-  
Regenerative Parametric Amplifiers. Radio tekhnika i Elektronika (USSR),  
Vol. 6, No. 5, 837-8 (May 1961) in Russian.  
SA-V. 65 4191
149. Giacoletto, L. J.  
Three Terminal Semi-Conductor Circuit of Variable Capacity.  
Onde elect. (France), Vol. 41, 320-2, (April 1961) in French.  
SA-V. 64 5612
150. Giacoletto, L. J.  
Fluctuation Noise in Semiconductor Spacecharge Regions. Proc.  
Inst. Radio Engrs. (USA), Vol. 49, No. 5, 921-7 (May 1961)  
EI-1961 p. 1345  
SA-V. 64 6262
151. Giacoletto, L. J.  
Fundamental Limiting Noise of Depletion Layer Capacitance.  
IRE Internat. Convention Record (USA), Vol. 9, Pt. 3, 3-9 (1961)  
EI-1961 p. 1345  
SA-V. 65 363
152. Gilden M. and Matthoei, G. L.  
A Nearly Optimum Wide-Band Degenerate Parametric Amplifier.  
Proc. Inst. Radio Engrs. (USA), Vol. 49, No. 4, 833-4 (April 1961)  
SA-V. 65 369
153. Gilden, M. and Matthoei, G. L.  
Practical Design and Performance of Nearly Optimum Wideband  
Degenerate Parametric Amplifiers. IRE-Trans. on Microwave Theory and  
Techniques, Vol. MTT-9, No. 6, Nov. 1961, p. 484-90.  
EI-1962 5509  
SA-V. 65 168
154. Goldstein, I.  
Interaction of Two Microwave Signals in a Ferroelectric Material.  
Proc. Inst. Radio Engrs. (USA), Vol. 48, No. 9, 1665 (Sept. 1960)  
SA-V. 64 252

155. Goldstein, I.  
Some Parametric Amplifier Circuits Configurations and Results.  
Proc. Inst. Radio Engrs. (USA), Vol. 48, No. 10, 1783-4 (Oct. 1960)  
SA-V. 64 740
156. Goldstein, I. and Zoray, I.  
Some Results on Diode Parametric Amplifiers. Proc. Inst. Radio  
Engrs. (USA), Vol. 48, No. 10, 1783 (Oct. 1960)  
SA-V. 64 2504
157. Gordon, E. I.  
A Transverse-Field Traveling-Wave Tube. Proc. Inst. Radio Engrs.,  
Vol. 48, No. 6(I), 1158 (June 1960)  
SA-V. 63 8006
158. Gordon, E. I.  
Transverse Electron Beam Waves in Varying Magnetic Fields.  
Bell System Tech. J., Vol. 39, No. 6, Nov. 1960, p. 1603-16.  
EI-1961 p. 520
159. Gordon, E. I.  
Noise in Beam-Type Parametric Amplifiers. Proc. Inst. Radio Engrs.  
(USA), Vol. 49, No. 7, 1208 (July 1961)  
SA-V. 65 1930
160. Gordon, E. I. and Ashkin, A.  
Energy Interchange Between Cymbtron and Synchronous Waves in  
Quadrupolar Pump Fields. J. Appl. Phys. (USA), Vol. 32, No. 6, 1137-44,  
(June 1961)  
EI-1961 p. 1345  
SA-V. 64 5227
- Gorshkov, A. S. see: 10
161. Gossel, D.  
Parametric Amplifiers. Elektron Rundschau (Germany), Vol. 15,  
No. 3, 91-5 March; No. 4, 149-52 (April 1961) in German.  
EI-1961 p. 1346  
SA-V. 64 6893
162. Gottlieb, P.  
Double Pump Degenerate Ferrite Amplifier. J. Applied Physics  
(Supp.), Vol. 31, No. 5, May 1960, p. 172S-3S.  
EI-1961 p. 1345  
SA-V. 63 3631
163. Gould, R. W.  
Traveling-Wave Couplers for Longitudinal Beam-Type Amplifiers.  
Proc. Inst. Radio Engrs., Vol. 47, No. 3, 419-26 (March 1959)  
SA-V. 62 3658

- Gould, R. W. see: 101
164. Gould, R. W. and Johnson, C. C.  
 Coupled Mode Theory of Electron-Beam Parametric Amplification.  
 J. Applied Physics, Vol. 32, No. 2, (Feb. 1961), p. 248-58.  
 EI-1961 p. 1345  
 SA-V. 64 1465
165. Grabowski, K.  
 An Application of the Perturbational Method to the Analysis of a  
 Parametric Amplifier and Mixer. Bull. Acad. Polon. Sci. Ser. Sci. Tech.  
 (Poland), Vol. 8, No. 9, 515-24 (1960)  
 EI-1961 p. 1344  
 SA-V. 65 1037
166. Grabowski, K.  
 Lossy Coupling in Parametric Amplifier. Proc. Inst. Radio Engrs.  
 (USA), Vol. 49, No. 10, 1573 (Oct. 1961)  
 SA-V. 65 7959
167. Grabowski, K. P.  
 Non-Degenerate Traveling Wave Parametric Amplifier. IRE - Western  
 Electronic Show & Convention (WESCON) Paper 40/3, 1961, 6 p.  
 SA-V. 65 3523  
 EI-1961 p. 1346
168. Grabowski, K. P. and Weglein, R. D.  
 Coupled-Cavity Traveling-Wave Parametric Amplifiers. II  
 Experiments. Proc. Inst. Radio Engrs. (USA), Vol. 48, No. 12,  
 1973-87 (Dec. 1960)  
 SA-V. 64 2506
169. Grace, M.  
 An Extremely Wideband Tunable 5-Band Parametric Amplifier. Proc.  
 Inst. Radio Engrs. (USA), Vol. 49, No. 12, 1940 (Dec. 1961)  
 SA-V. 65 6980
170. Grau, G. K.  
 The Energy Balance in a Parametric Electron Beam Amplifier.  
 Arch elekt. Ubertragung (German), Vol. 14, No. 6, 247-55 (June 1960)  
 in German.  
 SA-V. 63 7876
171. Greene, J. C. and Lombardo, P. P.  
 Low Noise 400 Mc-Reactance Amplifiers. Microwave J., Vol. 2,  
 No. 5, May 1959, p. 28-31.  
 EI-1959 p. 1105

172. Lombardo, P. P. and Sard, E. W.  
 Low-Noise Microwave Reactance Amplifiers with Large Gain-Bandwidth Products. Inst. Radio Engrs. - 1959, IRE WESCON Convention Rec., Vol. 3, Pt. 1, (Antennas & Propagation; Microwave Theory & Techniques) 1959, p. 83-7.  
 KI-1959 p. 1105
173. Greene, J. C. and Sard, E. W.  
 Optimum Noise and Gain-Bandwidth Performance for a Practical One-Port Parametric Amplifier. Proc. Inst. Radio Engrs., Vol. 48, No. 9, 1583-90 (Sept. 1960)  
 KI-1960 p. 1154  
 SA-V. 63 7891
174. Greene, J. C., White, W. D. and Adler, R.  
 Radar Sensitivity with Degenerate Parametric Amplifier Front End. Proc. Inst. Radio Engrs. (USA), Vol. 49, No. 4, 804-5, 805-6, 806-7 (April 1961)  
 SA-V. 65 375
- Gregory, F. J. see: 389
175. Grimm, H. H.  
 Noise Temperature in a Radar System. Proc. Inst. Radio Engrs., Vol. 48, No. 2, 246-7 (Feb. 1960)  
 SA-V. 63 2985
- Gvozdover, S. D. see: 10
- Hallett, J. E. see: 351
176. Hamada, S. and Mukai, H.  
 Staggered Operation of Doubly Resonant Parametric Amplifiers. Rev. Elect. Commun. Lab. (Japan), Vol. 9, No. 1-2, 20-5 (Jan. - Feb. 1961)  
 SA-V. 64 6900
- Hamasaki, J. see: 269, 270, 271
- Harrison, R. I. see: 264
177. Harris, S. F.  
 The Parametric Amplifier. CQ, Vol. 14, p. 74, Nov. 1958
178. Harrison, R. I.  
 Parametric Diode Q Measurements. Microwave J., Vol. 3, No. 5, May 1960, p. 43-6.  
 KI-1961 p. 1346
- Harrison, S. W. see: 264

179. Hart, P. A. H. and Weber G.  
Parametric-Amplifier Electron Gun. Philips Res. Rep.  
(Netherlands) Vol. 16, No. 4, 376-88 (Aug. 1961)  
SA-V. 65 7101
180. Harvey, J.  
Parametric Converter Performance on a Beyond-the-Horizon  
Microwave Link. IRE Trans. Commun. Systm. (USA) Vol. CS-9, No. 4  
451-5 (Dec. 1961)  
SA-V. 65 11039
181. Hatley, W. T., Jr.  
Simulating Parametric Amplifiers. IRE-Trans. on Electron  
Devices V. ED-8, No. 2, Mar. 1961, p. 116-23  
EI-1961 p. 1346  
SA-V. 64 3974
182. Haun, R. D., Jr.  
Summary of Measurement Techniques of Parametric Amplifier and  
Mixer Noise Figure. IRE Trans. Microwave Theory and Tech. (USA)  
Vol. MTT-8, No. 4, 410-15 (July 1960)  
EI-1960 p. 1154  
SA-V. 64 564
183. Haun, R. D., Jr. and Osial, T. A.  
Low-Noise, Solid-State Microwave Amplifiers. Elec. Mfg.  
V. 64, N. 4, Oct. 1959, p. 139-54  
EI-1959 p. 1105
184. Haus, H. A.  
The Kinetic Power Theorem for Parametric, Longitudinal,  
Electron-Beam Amplifiers. IRE Trans. Electron Devices. Vol. ED-5,  
No. 4, 225-32 (Oct. 1958)  
SA-V. 62 2312
185. Hausman, A. H.  
Dependence of the Maximum Range of Tropospheric Scatter  
Communications on Antenna and Receiver Noise Temperatures. IRE  
Trans. Commun. Syst. Vol. CS-6, No. 2, 35-8 (Dec., 1958)  
SA-V. 62 3175
186. Hedderly, D. L.  
Parametric Amplification by Charge Storage. Proc. Inst. Radio  
Engrs. (USA) Vol. 49, No. 5, 966-7 (May 1961)  
SA-V. 65 361
187. Heffner, H.  
Solid-State Microwave Amplifiers. Inst. Radio Engrs.-Trans.  
on Microwave Theory and Techniques V. MTT-7, N. 1, Jan. 1959,  
p. 83-91  
SA-V. 62 2985  
EI-1959 p. 1105

188. Heffner, H.  
Masers and Parametric Amplifiers. Microwave J. V. 2, No. 3,  
Mar. 1959, p. 33-40  
EI-1959 p. 1105
189. Heffner, H.  
Capacitance Definitions for Parametric Operation. IRE Trans.  
Microwave Theory Tech. (USA) V. MTT-9, No. 1, 98-9 (Jan., 1961)  
SA-V. 65 367
- Heffner, H. see: 442, 469, 470, 484, and 485
190. Heffner, H. and Kotzebue K.  
Experimental Characteristics of a Microwave Parametric Amplifier  
Using a Semiconductor Diode. Proc. IRE Vol. 46, p. 1301 June 1958
191. Heffner, H. and Wade, G.  
Minimum Noise Figure of a Parametric Amplifier. J. Applied  
Phys. Vol. 29, p. 1262, Aug. 1958
192. Heffner, H. and Wade G.  
Gain, Band Width and Noise Characteristics of Variable Parameter  
Amplifier. J. Applied Physics V. 29, N. 9, Sept. 1958, p. 1321-31  
EI-1958 p. 1004
193. Hofni, I.  
Self-Quenching in Super-Regenerative Parametric Amplifiers.  
Electronic Engng. Vol. 31, 559, (Sept., 1959)  
SA-V. 63 1617
194. Heilmeyer, G. H.  
An Analysis of Parametric Amplification in Periodically  
Loaded Transmission Lines. RCA Rev., Vol. 20, No. 3, 442-54,  
(Sept. 1959)  
EI-1960 p. 1153  
SA-V. 63 1616
195. Heilmeyer, G. H.  
Millimeter Wave Generation by Parametric Methods. Proc. Inst.  
Radio Engrs. Vol. 48, No. 7, 1326-7 (July 1960)  
SA-V. 63 7884
196. Heilmeyer, G. H.  
A Solid-State Analog to a Traveling Wave Amplifier. Proc. Inst.  
Radio Engrs. (USA) Vol. 49, No. 6, 1079-80 (June 1961)  
SA-V. 65 380

197. Heinlein, W.  
Equivalent Circuit, Amplification and Bandwidth of a  
Parametric Travelling Wave Amplifier with Controlled Capacitances.  
Arch. Elect. Übertragung (Germany) Vol. 15, No. 12, 547-554  
(Rec. 1961)  
SA-65 11036
198. Helgesson, A. L.  
Nonsymmetrical Properties of Nonlinear Elements in Low-and  
High-Impedance Circuits. Proc. Inst. Radio Engrs. (USA) Vol. 49,  
No. 10, 1569-70 (Oct. 1961)  
SA-V. 65 7958
199. Henoch, B. T.  
Broad-Band Parametric Travelling-Wave Amplification.  
Eltchnik (Sweden) Vol. 3, No. 3, 33-40 (March 1960)  
EI-1960 p. 1153  
SA-V. 64 736
200. Henoch, B. T.  
Aspects on Wide-Band Parametric Travelling Wave Amplifiers.  
Ericsson Tech (Sweden) Vol. 16, No. 1, 77-135 (1960)  
SA-V. 64 1462
201. Herrmann, G.  
Idler Noise in Parametric Amplifiers. Proc. Inst. Radio  
Engrs. (USA), Vol. 48, No. 12, 2021-2 (Dec. 1960)  
SA-V. 64 3972
- Herrmann, G. F. see: 393
202. Hershezon, E. M., Ptitsyna, N. G., Rozhkova, G. I. and Etkin, V. S.  
A Single-Circuit Parametric Amplifier. Radiotekhnica i  
Elektronika (USSR) Vol. 6, No. 5, 829-34 (May 1961) In Russian  
SA-V. 65 2839
203. Heymann, A. P.  
First Circuit Details-Paramp. that Tracked Pioneer IV Deep-  
Space Probe. Electronics V. 35, N. 28, July 13, 1962, p. 45-7  
EI-1962 p. 155
204. Hierholzer, F. J., Jr.  
Linear Power Amplifiers Using Dynistors or Trinistors.  
Trans. Amer. Inst. Elect. Engrs. I, Vol. 77, 892-8 (1959) = Commun.  
and Electronics, No. 40 (Jan. 1959)  
SA-V. 62 7360



205. Hilibrand, J. and Bean, W. R.  
Semiconductor Diodes in Parametric Subharmonic Oscillators.  
RCA Rev. Vol. 20, pp. 229-253, June 1959
- Hiyama, Y. see: 486
- Holub, A. J. see: 232, 233
206. Holwech, O.  
Production of Semiconductors for Parametric Amplifiers.  
Elektrotek Tidsskrift (Norway) Vol. 74, No. 29, 485-7 (Nov. 15,  
1961) In Norwegian  
EI-1962 p. 168  
SA-V. 65 5577
- Honda, J. S. see: 227
207. Honey, R. C. and Jones E. M. T.  
A Wide-Band U. H. F. Traveling Wave Variable Reactance Amplifier  
IRE Trans. Microwave Theory and Tech., Vol. MTT-8, 351-61 (May, 1960)  
EI-1960 p. 1155  
SA-V. 63 6805
208. Houlding, N.  
Low-Noise Parametric Amplifier. Proc. IRE, Vol. 47, p. 2025,  
Nov. 1959  
SA-V. 63 4246
- Howarth, B. A. see: 362
- Hrbek, G. see: 4, 5
209. Hsiung, Hsu  
Multiple Frequency Parametric Devices. Digest of Technical  
Papers, 1959 Solid-State Circuits Conf. Philadelphia, Pa.,  
Feb. 12, 1959
210. Hsu, H. and Wanuga, S.  
The Wide Tuning-Range of Backward Traveling-Wave Parametric  
Amplifiers. Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 8,  
1339-40 (Aug. 1961)  
SA-V. 65 5512
211. Hudson, A. C., Verreault, R. and Burbidge, G.A.  
A Mechanical Nondegenerate Parametric Oscillator. Proc. Inst.  
Radio Engrs. (USA), Vol. 50, No. 2, 228-9 (Feb. 1962)  
SA-V. 65 9531
- Hughes, R. see: 91

- Husimi, K. see: 486
212. Il'inskiĭ, Yu A. and Karasev, M. D.  
 Transients in a Two-Circuit Parametric Amplifier. Radiotekhnika  
 i Elektronika (USSR) Vol. 6, No. 8, 1397-1400 (Aug. 1961) in Russian  
 SA-V. 65 2836
213. Ingless, R.  
 Variable-Capacitance Diodes. G. E. C. J. Science & Technology  
 Vol. 29, No. 2, 1962, p. 80-3  
 EI-1962 Oct. p. 148
- Inoge, N. see: 340
214. Isobe, T.  
 Effects of the Pumping Fluctuations on the Operation  
 Characteristics of Resonant Type Parametric Amplifiers Using Diodes.  
 J. Inst. Elect. Commun. Engrs. Japan, Vol. 44, No. 8, 1224-31  
 (Aug. 1961) in Japanese  
 SA-V. 65 6977
215. Ivanov, S. N., Skvortsova, N. E. and Sokolov, Yu F.  
 Germanium Diodes for Parametric Amplifiers. Radiotekhnika i  
 Elektronika, Vol. 4, No. 9, 1538-42 (Sept. 1959) In Russia  
 Eng. Trans. Radio Eng. & Electronics. Vol. 4, No. 9, 1959, p. 199-206  
 EI-1960 p. 1154  
 SA-V. 63 877
216. Iwazawa, H.  
 The Extended Theory of the Manley-Rowe's Energy Relations in  
 Nonlinear Elements and Nonlinear Lossless Medium. IRE Trans.  
 Microwave Theory and Tech. (USA) Vol. MTT-8. No. 4, 459-60  
 (July 1960)  
 SA-V. 64 3979
- de Jager, J. T. see: 370, 371
217. de Jager, J. T. and Robinson, B. J.  
 Sensitivity of the Degenerate Parametric Amplifier. Proc.  
 Inst. Radio Engrs. (USA) Vol. 49, No. 7, 1205-6 (July 1961)  
 SA-V. 65 1929
218. Jasinski, W.  
 Gain of a Traveling-Wave Parametric Amplifier Using Nonlinear  
 Capacitors. Proc. Inst. Radio Engrs., Vol. 48, No. 12, 2018-19  
 (Dec. 1960)  
 SA-V. 64 3262
- Jelenski, A. see: 41

219. Johnson, C. C.  
Theory of Fast-Wave Parametric Amplification. J. Appl. Phys.  
Vol. 31, No. 2, 338-45 (Feb. 1960)  
EI-1960 p. 1154  
SA-V. 63 2981
- Johnson, C. C. see: 164
220. Johnson, K. M.  
Effect of a Generator or Load Mismatch on the Operation of a  
Parametric Amplifier. Proc. Inst. Radio Engrs., Vol. 48, No. 7,  
1327-8 (July 1960)  
SA-V. 63 7885
221. Johnson, K. M.  
Large Signal Analysis of a Parametric Harmonic Generator.  
IRE Trans. Microwave Theory and Tech. (USA) Vol. MTT-8, No. 5,  
525-32 (Sept. 1960)  
SA-V. 64 1463
223. Johnson, K. M.  
Broad-Band Cavity-Type Parametric Amplifier Design. IRE  
Trans. on Microwave Theory & Techniques V. MTT-9, N. 2, Mar. 1961  
p. 187-94  
SA-V. 64 3975  
EI-1961 p. 1344
224. Johnson, K. M.  
Broad-Band S-Band Parametric Amplifier. Proc. Inst. Radio  
Engrs. (USA), Vol. 49, No. 12, 1943 (Dec. 1961)  
SA-V. 65 6981
225. Johnson, K. M.  
Improving Gain Stability of Parametric Amplifiers. Microwave  
J. V. 4, N. 12, Dec. 1961, p. 86-91  
EI-1962 168
226. Johnson, K. M.  
900 Mc, Nondegenerate X-Band Amplifier. Proc. Inst. Radio  
Engrs. (USA) Vol. 50, No. 3 (1), 332 (March 1962)  
SA-V. 65 9524
- Jones, E. M. T. see: 207

227. Jones, E. M. T. and Honda, J. S.  
 Low-Noise Up-Converter Parametric Amplifier. Inst. Radio  
 Engrs.,-1959 IRE WESCON Convention Rec. V. 3, Pt. 1 (Antennas &  
 Propagation; Microwave Theory & Techniques) 1959 p. 99-107  
 SA-V. 62 7365  
 EI-1959 p. 1105
- Jordan, A. G. see: 33k
228. Jurkus, A. and Robson, P. W.  
 Saturation Effects in a Travelling-Wave Parametric Amplifier.  
 Proc. Instn. Elect. Engrs. Paper 3017 E. publ. Oct. 1959 (Vol. 107B,  
 119-22)  
 EI-1960 p. 1154  
 SA-V. 62 7363
229. Jurkus, A. and Robson, P. W.  
 Gain Saturation in a Travelling-Wave Parametric Amplifier.  
 Proc. Inst. Radio Engrs (USA) Vol. 49, No. 9, 1433-4 (Sept. 1961)  
 SA-V. 65 4189
230. Kaden, H.  
 Connection of Resonant Circuit with Controlled Reactance.  
 Archiv der Elektrischen Uebertragung V. 15, N. 7, July 1961  
 p. 313-18  
 EI-1961 p. 1345
231. Kamal, A. K.  
 A Parametric Device as a Nonreciprocal Element. Proc. Inst.  
 Radio Engrs. Vol. 48, No. 8, 1424-30 (Aug. 1960)  
 SA-V. 63 7890
232. Kamal, A. K. and Holub, A. J.  
 Gain and Bandwidth Inconsistencies in Low Frequency Reactance  
 Up-Converter Parametric Amplifiers. IRE Wescon Convention Record  
 Vol. 4, Pt. 2, 80-85 (1960)  
 EI-1961 p. 1345  
 SA-V. 63 7879
233. Kamal, A. K. and Holub, A. J.  
 Gain Inconsistencies in Low-Frequency Reactance Parametric  
 Up-Converters. Proc. Inst. Radio Engrs. (USA), Vol. 48, No. 10,  
 1784-5 (Oct. 1960)  
 SA-V. 64 741
234. Kamal, A. K. and Subramanian, M.  
 Gain Optimization in Low-Frequency Parametric Up-Converters by  
 Multidiode Operation. Proc. Inst. Radio Engrs. Vol. 48, No. 12,  
 2018-19 (Dec. 1960)  
 SA-V. 64 3263

- Kaprielian, Z. A. see: 465
235. Karasev, M. D.  
Some General Properties of Nonlinear Reactive Elements.  
Uspekhi fis Nauk (USSR) Vol. 69, No. 1, 217-67 (Oct. 1959)  
In Russian  
SA-V. 64 6902
236. Karasev, M. D.  
The Effect of the Parasitic Parameters of a Semiconductor Diode on the Operation of a Parametric Amplifier. Radiotekhnika i Elektronika (USSR), Vol. 6, No. 5, 779-88 (May 1961) In Russian  
Eng. Transl. Radio Eng. & Elec. Phys. Vol. 6, No. 5, May 1961, p. 689-97  
EI-1962 p. 168  
SA-V. 65 2835
- Karasev, M. D. see: 212
237. Karlov, N. V., Pimenov, Yu P., Prokhorov, A. M.  
Det. of Saturation and Recovery Time of Paramagnetic Amplifiers Radiotekhnika i Elektronika Vol. 6, No. 3, Mar. 1961, p. 410-15 (Eng. Trans. Radio Eng. & Electronic Physics Vol. 6, No. 3, Mar. 1961, p. 363-8)  
EI-1961 p. 1344
238. Karlov, N. V., Pimenov, Yu P., Prokhorov, A. M.  
A Paramagnetic 10 cm Band Amplifier Using Fe<sup>3+</sup> Ions in Corundum. Radio tekhnika i Elektronika (USSR) Vol. 6, No. 5, 846 (May 1961) In Russian  
SA-V. 65 2840
239. Karlov, N. V., Pimenov, Yu P. and Prokhorov, A. M.  
Sensitivity of Radio Receivers with Parametric Amplifiers. Radio i Elektronika, Vol. 6, No. 3, Mar. 1961, p. 416-21 Eng. Trans. Radio Eng. & Electronic Physics, Vol. 6, No. 3, Mar. 1961 p. 368-72  
EI-1961 p. 1344
- Karlova, E. K. see: 413
- Karpetski, V. V. see: 448, 446
240. Kaufman, I. and Douthett, D.  
Harmonic Generation Using Idling Circuits. Proc. Inst. Radio Engrs. Vol. 48, No. 4, 790-1 (April 1960)  
SA-V. 63 6251
- Kenmoku, M. see: 386
- Keywell, F. see: 476

241. Kibler, L. U.  
 Directional Bridge Parametric Amplifier. Proc. Inst. Radio  
 Engrs. Vol. 47, No. 4, 583-4 (April 1959)  
 SA-V. 62 5379
242. Kibler, L. U.  
 Parametric Oscillations with Point Contact Diodes at  
 Frequencies Higher than Pumping Frequency. Proc. Inst. Radio Engrs.  
 Vol. 48, No. 2, 239-40 (Feb. 1960)  
 SA-V. 63 3627
243. Kibler, L. U.  
 Standby Receiver System. Bell Syst. Tech. J. (USA) Vol. 40,  
 No. 4, 1129-48 (July, 1961)  
 SA-V. 65 2151
- Kiely, D. G. see: 398
244. Kim, C. S.  
 Four Terminal Equivalent Circuits of Parametric Diodes  
 Inst. Radio Engrs.-1959 IRE WESCON Convention Rec. V. 3, pt. 2,  
 (Circuit Theory) 1959, p. 91-101  
 SA-V. 62 7400  
 EI-1959 p. 1104
- Kinber, B. E. see: 147
245. Kingston, R. H.  
 Parametric Amplification and Oscillation at Optical  
 Frequencies. Proc. Inst. Radio Engrs. (USA) Vol. 50, No. 4 (I)  
 472 (April 1962)  
 SA-V. 65 11041
246. Kino, G. S.  
 Parametric Amplifier Theory for Plasmas and Electron Beams.  
 J. Appl. Phys., Vol. 31, No. 8, 1449-58, (Aug. 1960)  
 EI-1960 p. 1154  
 SA-V. 63 6244
- Kishimoto, A. see: 481
247. Kita, S.  
 A Harmonic Generator by Use of the Nonlinear Capacitance of  
 Germanium Diode. Proc. IRE Vol. 46, p. 1307 June 1958
248. Kita, S.  
 Construction and Characteristics of Silver-Bonded Diodes. Rev.  
 Elect. Commun. Lab. (Japan) Vol. 9, No. 1-2, 26-30 (Jan-Feb, 1961)  
 SA-V. 64 6901

- Kita, S. see: 340
249. Kita, S. and Obata, F.  
An X-Band Parametric Amplifier Using a Silver Bonded Diode.  
Proc. Inst. Radio Engrs. (USA) Vol. 48, No. 9, 1651-2 (Sept. 1960)  
SA-V. 64 251
250. Kita, S., Okajima, T. and Chung, M.  
Parametric Amplifier Using Silver Bonded Diode. IRE-Trans.  
on Electron Devices V. ED-8 N. 2 Mar. 1961 p. 105-9  
EI-1961 p. 1346  
SA-V. 64 4638
251. Kita, S. and Sugiyama, K.  
The Nonlinear Barrier Capacitance of Silver Bonded Diodes.  
Rev. Elect. Commun. Lab. (Japan) Vol. 8, No. 3-4, 112-18 (March-  
April, 1960)  
SA-V. 64 6266
252. Kitsuregawa, T. and Shirahata, K.  
Wide-Band Parametric Amplifier. Mitsubishi Denki Laboratory  
Reports Vol. 3, No. 2, April 1962, p. 183-202  
EI-1962 Nov. p. 155
253. Klinger, H. H.  
Low Noise Amplifiers for High Frequencies. Fernmelde-  
Ingenieur (Germany) Vol. 14, No. 11, 36 pp (Nov. 15, 1960) In German  
SA-V. 64 1919
254. Klinger, H. H.  
Parametric Amplifiers. Schweiz Tech. Z. (S.T.Z.) Vol. 57,  
No. 22, 457-62 (June 2, 1960) In German  
SA-V. 63 5030
255. Kliphuis, J.  
C-Band Nondegenerate Parametric Amplifier with 500-Mc  
Bandwidth. Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 5, 961  
May 1961  
SA-V. 65 376
256. Klotzbaugh, G. A.  
Phase Considerations in Degenerate Parametric Amplifier  
Circuits. Proc. Inst. Radio Engrs., Vol. 47, No. 10, 1782-3  
(Oct. 1959)  
SA-V. 63 4245

257. Kluver, J. W.  
 Parametric Coupling Between the Transverse O- and H-Type  
 Beams. J. Appl. Phys. (USA) Vol. 32, No. 6, 1111-14 (June 1961)  
 SA-V. 64 5225
258. Knechtli, R. C. and Weglein, R. D.  
 Low Noise Parametric Amplifier. Proc. Inst. Radio Engrs.  
 Vol. 47, No. 4, 584-5 (April 1959)  
 SA-V. 62 5380
259. Knechtli, R. C. and Weglein, R. D.  
 Low Noise Parametric Amplifier. Proc. Inst. Radio Engrs.  
 Vol. 48, No. 7, 1218-26 (July 1960)  
 EI-1960 p. 1154  
 SA-V. 63 6246
260. Kornata, A. and Yamagishi, F.  
 Application of Parametric Amplifier to L-Band Radar. J. Inst.  
 Elect. Commun. Engrs. Japan, Vol. 44, No. 8, 1231-8 (Aug. 1961)  
 in Japanese  
 SA-V. 65 6978
- Kompfner, R. see: 482
261. Korpel, A. and Desmares, P.  
 Experiments with Nonreciprocal Parametric Devices. Proc.  
 Inst. Radio Engrs. (USA) Vol. 49, No. 10, 1582 (Oct. 1961)  
 SA-V. 65 7960
262. Kotzebue, K. L.  
 Large-Signal Characteristics of Three-frequency Cavity  
 Parametric Amplifiers. Digest of Papers, 1959 Solid-State Circuits  
 Conf., Philadelphia, Pa. February 12, 1959
263. Kotzebue, K. L.  
 Optimum Noise Performance of Parametric Amplifiers. Proc.  
 Inst. Radio Engrs. Vol. 48, No. 7, 1324-5 (July 1960)  
 SA-V. 63 7883
- Kotzebue, K. see: 190
264. Ku, S. M., Harrison, R. I. and Harrison, S. W.  
 X-Band Parametric Amplification-An Integrated Approach to the  
 Diode and Circuit Problem. IRE internat. Convention Record (USA)  
 Vol. 9, Pt. 3, 129-38 (1961)  
 EI-1961 p. 1347  
 SA-V. 65 2834



265. Kuh, E. S.  
Theory and Design of Wide-Band Parametric Converters. Proc.  
Inst. Radio Engrs. (USA) Vol. 50, No. 1, 31-8 (Jan. 1962)  
SA-V. 65 5513
266. Kuh, E. S. and Fukada, M.  
Optimum Synthesis of Wide-Band Parametric Amplifiers and  
Converters. IRE Trans. on Circuit Theory Vol. CT-8, No. 4,  
Dec. 1961, p. 410-15  
SA-V. 65 6967  
EI-1962 168
267. Kurokawa, K.  
Actual Noise Measure of Linear Amplifiers. IRE Proc. Vol. 49,  
No. 9, Sept. 1961, p. 1391-7  
EI-1961 p. 1344
268. Kurokawa, K.  
On the Use of Passive Circuit Measurements for the  
Adjustment of Variable Capacitance Amplifiers. Bell Syst. Tech.  
J. (USA) Vol. 41, No. 1, 361-81 (Jan. 1962)  
SA-V. 65 6966
269. Kurokawa, K. and Hamasaki, J.  
An Analysis of Periodically Distributed Parametric Amplifiers.  
J. Inst. Elect. Commun. Engrs., Japan Vol. 42, No. 6, 579-85  
SA-V. 63 354
270. Kurokawa, K. and Hamasaki, J.  
Mode Theory of Lossless Periodically Distributed Parametric  
Amplifiers. IRE Trans. Microwave Theory & Tech., Vol. MTT-7, No. 3,  
360-5, (July 1959)  
EI-1959 p. 1105  
SA-V. 62 7364
271. Kurokawa, K. and Hamasaki, J.  
An Extension of the Mode Theory to Periodically Distributed  
Parametric Amplifiers with Losses. IRE Trans. Microwave Theory  
and Tech. Vol. MTT-8, No. 1, 10-18 (Jan. 1960)  
SA-V. 63 4243
272. Kurokawa, K. and Uenohara, M.  
Minimum Noise Figure of the Variable Capacitance Amplifier.  
Bell Syst. Tech. J. (USA) Vol. 40, No. 3, 695-22 (May, 1961)  
SA-V. 64 3969
- Kwasierborski, A. see: 389

273. Labus, J.  
Low-Noise Electron-Beam Amplifiers. Arch. Elekt.  
Übertragung, Vol. 14, No. 2, 49-53 (Feb. 1960) In German  
SA-V. 63 4249
274. Laine, D. O.  
Masers or Parametric Amplifiers. Electronic Technol.,  
Vol. 37, No. 5, 174-85 (May, 1960)  
EI-1960 p. 1154  
SA-V. 63 5025
275. Landauer, R.  
Parametric Amplification Along Nonlinear Transmission Lines.  
J. Appl. Phys. Vol. 31, No. 3, 479-84, (March, 1960)  
EI-1960 p. 1154  
SA-V. 63 3616
276. Landauer, R.  
Parametric Standing Wave Amplifiers. Proc. Inst. Radio  
Engrs. Vol. 48, No. 7, 1328-9 (July 1960)  
SA-V. 63 7886
277. Landauer, R.  
Shock Waves in Nonlinear Transmission Lines and Their Effect  
on Parametric Amplification. IBM J. Res. Developm. (USA)  
Vol. 4, No. 4, 391-401 (Oct. 1961)  
EI-1961 p. 1346  
SA-V. 64 1347
278. Lange, F. H.  
Development Trends in Modern Operational Calculus.  
Hochfrequenztech V. Elekt Akust, Vol. 69, No. 2, 67-75  
(April, 1960) In German  
SA-V. 63 7066
279. Lea, C. P.  
Some Possible Causes of Noise in Adler Tubes. Proc. Inst.  
Radio Engr. Vol. 48, No. 2, 255-7 (Feb. 1960)  
SA-V. 63 3615
280. Lea, C. P. - Wilson; Bridges, T. J.; Vokes, J. C.  
The Application of Beam Cooling to Quadrupole Amplifiers.  
J. Electronics and Control (GB) Vol. 10, No. 4, 261-72 (April 1961)  
SA-V. 64 5228
- Leahy, H. C. see: 410

281. Leclerc, P.  
Semi-Conductor Elements for Parametric Amplification.  
Ann. Radioelect. (France Vol. 16, 302-8 (Oct. 1961) in French  
SA-V. 65 4186
- Le Craw, R. C. see: 415
282. Lee, Tuck Hop  
A Series-Connected Traveling-Wave Parametric Amplifier.  
IRE Trans. Microwave Theory and Tech. Vol. MTT-9, No. 6,  
578-9 (Nov, 1961)  
SA-V. 65 6974
283. Leenov, D., Rood, J. W.  
V.H.F. Harmonic Generation with Silicon Diodes. Proc. IRE,  
Vol. 48, p. 1335 July 1960
284. Leeson, D. B. and Weinreb, S.  
Frequency Multiplication with Nonlinear Capacitors-A Circuit  
Analysis. Proc. IRE Vol. 47, pp. 2076-2084, Dec. 1959
285. Leon, B. J.  
A Frequency-Domain Theory for Parametric Networks. IRE  
Trans. Circuit Theory (USA) Vol. CT-7, No. 3, 321-9  
(Sept. 1960)  
EI-1961 p. 1345  
SA-V. 64 2424
286. Leon, B. J.  
Exact Analysis of a Novel Single-Stage Linear Parametric  
Amplifier. IRE Trans. Circuit Theory (USA) Vol. CT-8 No. 4,  
484-5 (Dec. 1961)  
SA-V. 65 6968
- Leon, B. J. see: 13
287. Leon, B. J. and Bean, C. A.  
Analysis and Design of Parametric amplifiers with Aid of  
709 Computer. IRE-Trans. on Circuit Theory V. CT-8, N. 3,  
Sept. 1961, p. 210-15  
SA-V. 65 5508  
EI-1962 168
288. Lindmayer, L., Wrigley, C., Vodicka, V. W., and Zuleeg, R.  
On Parametric Amplification in Transistors. Proc. Inst.  
Radio Engrs, (USA) Vol. 49, No. 8, 1335-7 (Aug. 1961)  
SA-V. 65 5592

289. Little, A. G.  
 A Wide-Band Single-Diode Parametric Amplifier Using Filter  
 Techniques. Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 4,  
 821-2 (April 1961)  
 SA-V. 65 374
- Little, A. G. see: 484, 485
- Locherer, K. H. see: 311, 312, 313
290. Locherer, K. H. and Maurer, R.  
 Non-Reciprocal Devices with Parametric and Tunnel Diodes  
 Onde elect. (France) Vol. 41, 381-5, (April 1961) in French  
 SA-V. 65 372
291. Lombardo, P. P.  
 Low-Noise 400 mc Reactance Amplifier. Digest of Technical  
 Papers, 1959 Solid-State Circuits Conf, Philadelphia, Pa.  
 Feb. 12, 1959
- Lombardo, P. P. see: 171
292. Lombardo, P. P. and Sard, E. W.  
 Low-Frequency Prototype Traveling-Wave Reactance Amplifier.  
 Proc. Inst. Radio Engrs. Vol. 47, No. 5, 995-6 (May 1959)  
 SA-V. 62 5383
293. Lombardo, P. P. and Sard, E. W.  
 Low Noise Microwave Reactance Amplifiers with Large Gain-  
 Bandwidth Products. IRE-WESCON Convention Record Vol. 3, Pt. 1,  
 83-98 (1959)  
 SA-V. 63 355
294. Lopukhin, V. M., Charkin, B. D. and Zveke, N. G.  
 Experimental Observation of Parametric Amplification in a  
 Backward-Wave Tube. Radiotekhnika i Elektronika (USSR) Vol. 4,  
 No. 10, 1747-9, (Oct. 1959) in Russian  
 SA-V. 64 1918
295. Lopukhin, V. M. and Martynov, V. P.  
 Taking into Account Dispersion of Electron Velocities in a  
 Parametric Amplifier of Space Charge Waves. Radiotekhnika i  
 Elektronika (USSR) Vol. 5, No. 10, 1614-18 Oct. 1960 in Russian  
 SA-V. 65 1041
296. Lototskii, L. S.  
 Comparison of the Static and Dynamic Characteristics of  
 Negatively-Biased Germanium Diodes. Radiotekhnika i Elektronika  
 (USSR) Vol. 6, No. 11, 1927-31 (Nov. 1961) in Russian  
 SA-V. 65 6984

297. Louisell, W. H.  
 Three-Frequency Electron Beam Parametric Amplifier and Frequency Converter. J. Electronics & Control, Vol. 6, No. 1, Jan. 1959, p. 1-25.  
 SA-V. 62 1647  
 EI-1959 p. 1105
- Louisell, W. H. see: 23, 24, 25, 92, 93, 94
298. Louisell, W. H. and Quate, C. F.  
 Parametric Amplification of Space Charge Waves. Inst. Radio Engrs. Proc., Vol. 46, No. 4, April 1958, p. 707-16.  
 EI-1958 p. 1004
299. Luksch, J. A., Matthews, E. W. and Ver Wys, G. A.  
 Design and Operation of Four-Frequency Parametric Up-Converters. IRE - Trans. on Microwave Theory & Techniques, Vol. MTT-9, No. 1, Jan. 1961, p. 44-52.  
 SA-V. 64 3257  
 EI-1961 p. 1345
300. MacDonald, J. R.  
 Space-Charge Capacitors for Parametric Amplifiers. Proc. Inst. Radio Engrs. (USA), Vol. 48, No. 8, 1483-5 (Aug. 1960).  
 SA-V. 64 249
- Macpherson, A. C. see: 63
301. Manley, J. M.  
 Some Properties of Time Varying Networks. IRE Internat. Conv. Record (USA), Vol. 8, Pt. 2, 200-9 (1960).  
 SA-V. 64 3272
302. Manley, J. M. and Rowe, H. E.  
 General Energy Relations in Nonlinear Reactances. Proc. IRE, Vol. 47, p.p. 2115-2116, Dec. 1959.  
 SA-V. 64 3977
303. Marie, G.  
 Theoretical Performance of Paramagnetic Amplifiers. Acta electronica (France), Vol. 4, No. 3, 381-423 (July, 1960) in French.  
 EI-1961 p. 1346  
 SA-V. 65 1033
304. Marie, G.  
 Low-Frequency Parametric Amplifiers. C.R. Acad. Sci. (France), Vol. 253, No. 25, 2896-8 (Dec. 18, 1961) in French.  
 SA-V. 65 7963

305. Marie, G. and Angel, Y.  
Contribution to the Study of Parametric Amplifiers. C. R. Acad. Sci. (Paris), Vol. 250, No. 2, 311-13 (Jan. 11, 1960) in French.  
SA-V. 64 2352
306. Marinesku, M.  
Electromechanical Systems with Variable Inductance. Elektrichestvo 1960, No. 6, 50-8 (June) in Russian.  
SA-V. 63 7696
307. Markovkin, A. M.  
Some Properties of Media with Periodically Time Varying Parameters Epsilon and Mu. Radiotekhnika i Elektronika, Vol. 4, No. 5, May 1959, p. 785-91.  
EI-1959 p. 1105
- Martynov, V. P. see: 295
308. Matthaei, G. L.  
Study of Optimum Design of Wide-Band Parametric Amplifiers and Up-Converters. IRE - Trans. on Microwave Theory & Techniques, Vol. MTT-7, No. 1, Jan. 1961, p. 23-38.  
SA-V. 64 3255  
EI-1961 p. 1346
309. Matthaei, G. L.  
An Electronically Tunable Up-Converter. Proc. Inst. Radio Engrs. (USA), Vol. 49, No. 11, 1703-4 (Nov. 1961).  
SA-V. 65 6970
310. Matthaei, G. L.  
Design Theory of Up-Converter for Use as Electronically-Tunable Filters. IRE Trans. Microwave Theory and Tech. (USA), Vol. MTT-9, No. 5, 425-35 (Sept. 1961).  
SA-V. 65 4188
- Matthaei, G. L. see: 152, 153
- Matthel, W. G. see: 57, 61
- Matthews, E. W. see: 299
- Maurer, R. see: 103, 290
311. Maurer, R. and Locherer, K. H.  
Experimental and Theoretical Investigations on Reactance Amplifiers with and without Auxiliary Circuits. Nachrichtentechnische Fachberichte, Vol. 21, 1960, p. 38-44.  
EI-1961 p. 1346

312. Maurer, R. and Locherer, K. H.  
Theory of Non-Reciprocal Circuits with Equal Input and Output  
Frequencies, Based on the use of Non-Linear Semiconductor Devices.  
Arch. elekt. Übertragung (Germany), Vol. 15, No. 2, 71-83 (Feb. 1961)  
in German.  
SA-V. 64 6894
313. Maurer, R., Locherer, K. H. and Bomhardt, K.  
The Straight Reactance Amplifier as a Low Noise Preamplifier in  
the U.H.F. Band. Arch. elekt. Übertragung, Vol. 13, No. 12, 509-24  
(Dec. 1959), in German.  
SA-V. 63 4242
314. Mayer, R. J.  
Degenerate Parametric Amplifier-Uses Butterfly Resonators.  
Electronics, Vol. 34, No. 50, Dec. 15, 1961, p. 74.  
SA-V. 65 6973  
EI-1962 168
315. Mayer, A.  
Wideband Single Diode Parametric Amplifiers. Microwave J., Vol. 5,  
No. 2, Feb. 1962, p. 99-106.  
EI-1962 168
316. Messenger, G. C.  
A Review of Parametric Diode Research. Semiconductor Prod., Vol. 3,  
No. 1, 17-19 (Jan. 1960).  
SA-V. 63 3650
317. Meyer, E. and Eisenmenger, W.  
Experimental Demonstration of Parametric Amplification. Z. Phys.,  
Vol. 158, No. 4, 379-85 (1960) in German.  
SA-V. 63 3630
318. Migulin, V. V.  
Forced Oscillations in a Parametrically Regenerated System. Radio  
tekhnika i Elektronika (USSR), Vol. 5, No. 6, 955-61 (June 1960)  
in Russian.  
SA-V. 65 1039
319. Mikaelyan, A. L.  
The Problem of Constructing Ferrite Amplifiers at Microwave  
Frequencies. Radiotekhnika i Elektronika, Vol. 3, No. 11, 1323-47  
(Nov. 1958) in Russian.  
SA-V. 62 4210
320. Miranker, W. L.  
Periodic Solutions of the Wave Equation with a Nonlinear Interface  
Condition. IBM J. Res. Developm. (USA), Vol. 5, No. 1, 2-24 (Jan. 1961).  
SA-V. 64 5563

Miseszhnikov, G. S. see: 400

321. Miseszhnikov, G. S. and Shteinshleiger, V. B.  
Contribution to Theory of Traveling Wave Quantum Paramagnetic  
Amplifier. Radiotekhnika i Elektronika, Vol. 6, No. 9, Sept. 1961,  
p. 1545-53. (Eng. Trans. Radio Eng. & Electronic Physics, Vol. 6,  
No. 9, Sept. 1961, p. 1377-85).  
EI-1962 168
- Monosov, Ya. A. see: 487, 488
322. Montgomery, G. F.  
Parametric Amplification with a Low-Frequency Pump. Proc. Inst.  
Radio Engrs. (USA), Vol. 49, No. 7, 1214-15 (July 1961).  
SA-V. 65 1931
323. Montgomery, G. F.  
Parametric Behavior of an Ideal Two-Frequency Varactor. Proc. Inst.  
Radio Engrs. (USA), Vol. 50, No. 1, 78-80 (Jan. 1962).  
SA-V. 65 5514
324. Moody, N. F. and Wacker, A. G.  
A Broad-Band Tunnel-Diode Amplifier. Proc. Inst. Radio Engrs.  
(USA), Vol. 49, No. 4, 835 (April 1961).  
SA-V. 65 370
325. Mooijweer, H.  
Modern Low-Noise Amplifiers. II. Parametric Amplifiers.  
Ingenieur (Netherlands), Vol. 73, No. 7, 023-032 (Feb. 17, 1961) in  
Dutch.  
EI-1961 p. 1346  
SA-V. 64 3973
326. Mooijweer, H.  
Symposium: Non-Linear Vibrations and Non-Linear Problems in  
Control Engineering. III. Some Mathematical Aspects of Parametric  
Amplifiers. Ingenieur (Netherlands), Vol. 74, No. 20, 037-043  
(May 1962) in Dutch.  
SA-V. 65 10227
327. Mortenson, K. E.  
Alloyed, Thin-Base Diode Capacitors for Parametric Amplification.  
J. Applied Physics, Vol. 30, No. 10, Oct. 1959, p. 1542-8.  
EI-1959 p. 1104
328. Mortenson, K. E.  
Comments on "Diode Capacitors for Parametric Amplification"  
by R. C. Knechtli and R. D. Waglein. J. Appl. Phys., Vol. 31, No. 6,  
1135 (June 1960).  
SA-V. 63 5673



329. Mortenson, K. E.  
 Parametric Diode Figure of Merit and Optimization. J. Appl. Phys.  
 Vol. 31, No. 7, 1207-12 (July 1960).  
 EI-1960 p. 1154  
 SA-V. 63 5056
330. Mount, E. and Begg, B.  
 Parametric Devices and Masers. An Annotated Bibliography.  
 IRE Trans. Microwave Theory and Tech., Vol. MTT-8, No. 2, 222-43  
 (March 1960).  
 SA-V. 63 4244
331. Mudgway, D. J.  
 Design and Performance of 450 Mc/s Parametric Amplifier. Instn.  
 Radio Engrs., Australia - Proc., Vol. 22, No. 3, March 1961, p. 167-73.  
 SA-V. 64 4641  
 EI-1961 p. 1345
332. Mudgway, D. J.  
 Parametric Amplifiers. Proc. Instn. Radio Engrs. Australia,  
 Vol. 23, No. 3, 158-66 (March 1962).  
 SA-V. 65 9534
- Mukai, H. see: 176
333. Mumford, W. W.  
 Some Notes on the History of Parametric Transducers. Proc. Inst.  
 Radio Engrs., Vol. 48, No. 5, 848-53 (May 1960).  
 EI-1960 p. 1154  
 SA-V. 63 5029
334. Nathanson, H. C. and Jordan, A. G.  
 Characteristics of an Exponentially Retrograded Variable  
 Capacitance Diode. I. Semiconductor Prod. (USA), Vol. 5, No. 4, 38-42  
 (April 1962).  
 SA-V. 65 9539
- Nee, J. see: 127
335. Neiryneck, J.  
 Energy Properties of Circuits Containing Non-Linear Reactances.  
 Rev. H.F. (Belgium) Vol. 5, No. 1, 13-17, (1961) in French.  
 SA-V. 65 371
336. Nergaard, L. S.  
 Nonlinear-Capacitance Amplifiers. RCA Rev., Vol. 20, No. 1,  
 3-17 (March 1959).  
 EI-1959 p. 1105  
 SA-V. 62 3663

337. Nethercot, A. H., Jr.  
On the Switching Time of Subharmonic Oscillators. *IBM J. Res. Developm. (USA)*, Vol. 4, No. 4, 402-6 (Oct. 1960).  
SA-V. 64 1436
338. Nishiguchi, K.  
Misoperation of Parametron Due to Hysteresis of Parametron Core. *Inst. Elec. Communication Engrs. Japan - J.*, Vol. 42, No. 2, Feb. 1959, p. 151-5.  
EI-1959 p. 1105
339. Oatley, C. W.  
Parametric Amplifiers. *Instn. Elec. Engrs. - J.*, Vol. 6, No. 63, March 1960, p. 141-6.  
EI-1960 p. 1154
- Obata, F. see: 249
340. Oguchi, B., Kita, S., Inoge, N. and Okajima, T.  
Microwave Parametric Amplifier by Means of Germanium Diode. *Proc. Inst. Radio Engrs.*, Vol. 47, No. 1, 77-8 (Jan. 1959).  
SA-V. 62 2989
- Okajima, T. see: 250, 340
341. Okajima, T. and Oshima, H.  
Wide-Band Parametric Amplifier. *J. Inst. Elect. Commun. Engrs.*, Japan, Vol. 44, No. 3, 362-8 (March 1961) in Japanese.  
SA-V. 65 377
342. Okwit, S. and Sard, E. W.  
Constant-Output-Frequency, Octave Tuning Range Backward-Wave Parametric Amplifier. *IRE Trans. on Electron Devices*, Vol. ED-8, No. 6, Nov. 1961, p. 540-9.  
SA-V. 65 5507  
EI-1962 168
343. Olson, F. A.  
On Stable Parametric Amplifiers. *Proc. Inst. Radio Engrs. (USA)*, Vol. 49, No. 3, 629-30 (March 1961).  
SA-V. 64 6897
- Olson, F. A. see: 434, 435
344. Olson, F. A. and Wade, G.  
A Cavity-type Parametric Circuit as a Phase-Distortionless Limiter. *P. G. MIT National Symposium, Coronado, Calif. May 9-11, 1960.*

345. Olson, F. A., Wang, C. P. and Wade, G.  
Parametric Devices Tested for Phase-Distortionless Limiting.  
Proc. Inst. Radio Engrs., Vol. 47, No. 4, 587-8 (April 1959).  
SA-V. 62 5381
- Oshima, N. see: 341
346. Oshima, S., Enomoto, H. and Watanabe, S.  
Analysis of Parametrically Excited Circuits - Parametron and  
Magnetic Amplifiers. J. Inst. Elect. Commun. Engrs. Japan, Vol. 41,  
No. 10, 971-8.  
SA-V. 62 2313
- Ostia, T. A. see: 183
347. Pallett, J. E.  
An Amendment to a Paper by L. B. Valdes on the Circuit Conditions  
for Parametric Amplification. J. Electronics and Control, Vol. 6,  
No. 3, 261-2 (March 1959).  
SA-V. 62 4787
348. Pantell, R. H.  
General Power Relationships for Positive and Negative Nonlinear  
Resistive Elements. Proc. Inst. Radio Engrs., Vol. 46, No. 12,  
1910-13 (Dec. 1958).  
SA-V. 62 1576
349. Pantell, R. H.  
Electrostatic Electron Beam Couplers. IRE Trans. on Electron  
Devices, Vol. ED-8, No. 1, Jan. 1961, p. 39-43.  
EI-1961 p. 1344  
SA-V. 64 2501
- Pantell, R. H. see: 141
350. Paul, H.  
Parametric Amplifiers. Scientia Electrica (Switzerland), Vol. 6,  
No. 3, 93-123 (Sept. 1960) in German.  
EI-1961 p. 1346  
SA-V. 64 3271
351. Pearson, J. D. and Hallett, J. E.  
Comparison of Gain, Bandwidth and Noise Figure of Variable-  
Reactance Amplifiers and Convertors. Proc. Instn. Elec. Engrs., Paper  
3224E, Publ. May 1960 (Vol. 107 B, 305-10).  
EI-1960 p. 1153  
SA-V. 63 4247

352. Pease, M. G.  
Conservation Laws of Uniform Linear Homogeneous Systems.  
J. Appl. Phys (USA), Vol. 31, No. 11, 1988-96 (Nov. 1960).  
SA-V. 64 248
353. Pease, M. G.  
Transduction of Noise Theory of a Generalized Traveling Wave  
Coupler. J. Appl. Phys. (USA), Vol. 32, No. 6, 1145-51 (June 1961).  
SA-V. 64 5230
- Pettai, R. see: 52
354. Pettai, R., Bossard, B. and Weissbaum, S.  
Single-Diode Parametric Up-Converter with Large Gain Bandwidth  
Product. Proc. Inst. Radio Engrs., Vol. 48, No. 7, 1323-4 (July 1960).  
SA-V. 63 7882
355. Pierce, J. R.  
Use of Principles of Conservation of Energy and Momentum in  
Connection with Operation of Wave-Type Parametric Amplifiers.  
J. Applied Phys., Vol. 30, No. 9, Sept. 1959, p. 1341-6.  
EI-1959 p. 1105
- Pimenov, Yu. P. see: 237, 238, 239
- Pippen, J. E. see: 479
356. Pircher, G. and Chausse-doux, M.  
Parametric Amplification at Microwave Frequencies. Ann. Telecomm.  
(France), Vol. 16, No. 11-12, 296-307 (Nov. - Dec. 1961) in French.  
SA-V. 65 9525
- Pohm, A. V. see: 363
357. Pohm, A. V., Read, A. A., Stewart, R. M., Jr. and Schauer, R. F.  
Operation of Magnetic Film Parametrons in the 100 to 500 Mc  
Regions. J. Appl. Phys. Suppl to Vol. 31, No. 5, 1198-2008 (May 1960).  
SA-V. 63 3619
- Poroshin, N. D. see: 464
358. Poschl, K. and Bura, P.  
Degenerate and Quasi-Degenerate Mode of Parametric Amplification.  
IRE Trans. Circuit Theory (USA), Vol. CT-8, No. 4, 487 (Dec. 1961).  
SA-V. 65 6969
359. Postnikov, I. M.  
Current Hodograph and Multi-Purpose Circuit Diagram to Represent  
Synchronous Salient-Pole and Paramagnetic Machines. Elektrichestvo  
(USSR), 1960, No. 8, 79-81 (Aug.) in Russian.  
SA-V. 65 626

360. Prager, H. J. and Chang, K. K. N.  
The Effect of Large Pump Voltage on Tunnel Diode Down Converter  
Performance. RCA Rev. (USA), Vol. 22, No. 3, 567-81 (Sept. 1961),  
SA-V. 65 1925
- Prokhorov, A. M. see: 237, 238, 239
361. Prywes, N. S.  
On Parametric Excitation with Current Saturable Inductances.  
Franklin Inst. - J., Vol. 270, No. 6, Dec. 1960, p. 468-91.  
EI-1961 p. 1346  
SA-V. 64 1468
- Ptitsyna, N. G. see: 202
362. Pulfer, J. K. and Howarth, B. A.  
Design and Performance of an Experimental L Band Traveling Wave  
Parametric Amplifier. Trans. Engng. Inst. of Canada, Vol. 4, No. 3,  
85-92 (1960).  
EI-1960 p. 1154  
SA-V. 64 4644
- Pungs, L. see: 128, 420
- Quate, C. F. see: 23, 24, 25, 94, 298
- Read, A. A. see: 357
363. Read, A. A. and Pohm, A. V.  
Magnetic Film Parametric Amplifiers. Proc. Nat. Electronics  
Conf., Vol. 15, 65-78 (1959).  
SA-V. 63 7893
364. Reed, E. D.  
Variable-Capacitance Parametric Amplifier. Inst. Radio Engrs.  
Trans. on Electron Devices, Vol. ED-6, No. 2, Apr. 1959, p. 216-24.  
SA-V. 62 5378  
EI-1959 p. 1105
365. Reed, E. D.  
Parametric Amplifiers with Controllable Capacitances.  
Nachrichtentechnische Fachberichte, Vol. 21, 1960, p. 27-37.  
EI-1961 p. 1346
366. Reed, E. D.  
Diode Parametric Amplifiers - Principles and Experiments.  
Semiconductor Products, Vol. 4, No. 1, 2 Jan. 1961, p. 25-30,  
Feb. p. 35-42.  
EI-1961 p. 1345  
SA-V. 64 4643

- Renton, C. A. see: 56
367. Ribbens, W. B.  
A Quasi-Cascaded Parametric Amplifier. J. Appl. Phys. (USA),  
Vol. 33, No. 2, 757-8 (Feb. 1962).  
SA-V. 65 6975
- Rickenbach, H. see: 120
- Road, J. W. see: 283
368. Roberts, R. W.  
K<sub>a</sub>-Band Ferrite Amplifier. Proc. Inst. Radio Engrs. (USA), Vol. 49,  
No. 5, 963 (May 1961).  
SA-V. 65 360
- Robertson, W. J. see: 95
369. Robinson, B. J.  
Theory of Variable Capacitance Parametric Amplifiers. Inst. Elec.  
Engrs. - Proc., Vol. 109 Pt.C (Monograph 480 E) No. 15, Mar. 1962,  
p. 198-208.  
EI-1962 168  
SA-V. 65 1927
- Robinson, B. J. see: 217
370. Robinson, B. J. and de Jager, J. T.  
Optimum Performance of Parametric Diodes at S-Band. Proc. Instn.  
Elect. Engrs. (G.B.), Paper 3849E, Publ. May 1962 (Vol. 109B, 267-76).  
SA-V. 65 9533
371. Robinson, B. M., Seeger, C. L., Van Damme, K. J. and de Jager, J. T.  
On Stabilizing the Gain of Varactor Amplifiers. Proc. Inst.  
Radio Engrs. (USA), Vol. 48, No. 9, 1648 (Sept. 1960).  
SA-V. 64 1917
372. Robson, P. N.  
A Cyclotron Wave Amplifier with Magnetic Pumping. Proc. Inst.  
Radio Engrs. (USA), Vol. 49, No. 3, 645-6 (March 1961).  
SA-V. 64 5231
- Robson, P. N. see: 228, 229
- Rodrigue, G. P. see: 11
373. Roe, G. M. and Boyd, M. R.  
Parametric Energy Conversion in Distributed Systems. Proc. Inst.  
Radio Engrs., Vol. 47, No. 7, 1213-18 (July 1959).  
SA-V. 62 6597

374. Roock, W.  
 Practical Application of the Parametric Amplifier. *Schweis Tech. Z. (S.T.Z.)*, Vol. 57, No. 5, 81-8 (Feb. 4, 1960).  
 SA-V. 63 2986
- Rostschl, H. see: 137
375. Rohde, U. L.  
 Parametric Amplification with Transistors. *Wireless Wld. (G.B.)*, Vol. 67, No. 10, 498-9 (Oct. 1961).  
 SA-V. 65 1935
376. Rosenberg, G.  
 Parametric Amplifiers in the Microwave Region. *Elektrotek T. (Norway)*, Vol. 73, No. 28, 475-9 (Nov. 5, 1960), in Norwegian.  
 EI-1961 p. 1346  
 SA-V. 64 735
377. Rosenberg, G.  
 Measurement of Semiconductor Diodes for Parametric Amplifiers. *Elektroteknisk Tidsskrift*, Vol. 74, No. 29, Nov. 15, 1961, p. 488-92.  
 EI-1962 168
- Rowe, H. E. see: 302, 382
378. Rowland R. and Cott, P. J.  
 Parametric Amplifiers. *Point to Point Telecomm. (G.B.)*, Vol. 6, No. 2, 24-37 (Feb. 1962).  
 SA-V. 65 9535
- Rozhkova, G. I. see: 202
379. Russell, C. R.  
 The Parametric Amplifier I. *Brit. Commun. and Electronics*, Vol. 7, No. 2, 94-8 (Feb. 1960).  
 SA-V. 63 2978
380. Russell, C. R.  
 The Parametric Amplifier II. *Brit. Commun. and Electronics*, Vol. 7, No. 3, 190-4 (March 1960).  
 SA-V. 63 2979
- Saad, T. see: 57
381. Sabih, D.  
 Broad-Hybrid-Coupled Parametric Amplifier. *Microwave J.*, Vol. 5, No. 5, May 1962, p. 87-94.  
 EI-1962 p. 155

382. Sabol, H. and Rowe, J. E.  
 Analysis of Modulated Traveling-Wave Devices and Beam-Type  
 Parametric Amplifiers. J. Electronics and Control, Vol. 8, No. 5,  
 321-49 (May 1960).  
 SA-V. 63 7998
383. Saito, S.  
 Parametric Amplification of Space-Charge Waves on a Thin Electron  
 Beam. J. Inst. Elect. Commun. Engrs., Japan, Vol. 41, No. 11, 1113-20  
 (Nov. 1958) in Japanese.  
 EI-1959 p. 1105  
 SA-V. 62 2314
384. Saito, S.  
 Transmission Line Involving Parametric Elements: Especially on  
 Periodically Distributed Parametric Amplifiers. J. Inst. Elect. Commun.  
 Engrs., Japan, Vol. 42, No. 6, 573-9 (June 1959) in Japanese.  
 SA-V. 63 353
385. Saito, S.  
 Effect of Higher Harmonic Components on the Performance of the  
 Traveling-Wave Parametric Amplifier. Proc. Inst. Radio Engrs., Vol. 49,  
 No. 3, 623-4 (March 1961).  
 SA-V. 64 3267
386. Saito, S. and Kenmoku, M.  
 Analysis of Parametric Amplification of Cyclotron-Waves in Time-  
 and Space-Periodic Fields. J. Inst. Elect. Commun. Engrs., Japan,  
 Vol. 44, No. 6, 916-23 (June 1961) in Japanese.  
 SA-V. 65 6976
387. Salzberg, B. and Sard, E. W.  
 Low Noise Wide-Band Reactance Amplifier. Proc. IRE, Vol. 46,  
 p. 1303, June 1958.
388. Sard, E. W.  
 Analysis of a Negative Conductance Amplifier Operated with a  
 Non-Ideal Circulator. IRE Trans. on Microwave Theory and Techniques,  
 Vol. MTT-7, p.p. 288-294, April 1959.
- Sard, E. W. see: 59, 172, 173, 292, 293, 342, 387, 20
- Savarin, A. see: 434, 435
- Savilov, P. I. see: 447
389. Scanlan, M. J. B., Kwasicrborski, A. K. and Gregory, F. J.  
 Discussion of "Radar Sensitivity with Degenerate Parametric  
 Amplifier Front End". Proc. Inst. Radio Engrs. (USA), Vol. 50, No. 3(I),  
 332-3 (March 1962).  
 SA-V. 65 9532



390. Schaffner, G. and Voorhaar, F.  
 A Nondegenerate S-Band Parametric Amplifier with Wide  
 Bandwidth. Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 4,  
 824-5 (April 1961)  
 SA-V. 64 4640
- Schauer, R. F. see: 357
391. Schilling, G.  
 Input Admittances with Negative Real Components in Parametric  
 Amplifiers. Frequenz Vol. 16, No. 5, May 1962, p. 171-6  
 EI-1962 Nov. p. 155
- Schubert, J. see: 103
- Seeger, C. L. see: 371
392. Seidel, H.  
 Noise Properties of Four-Pole Networks with Application to  
 Parametric Devices. IRE Trans. Circuit Theory (USA) Vol. PGCT-8,  
 No. 4, 398-409 (Dec. 1961)  
 SA-V. 65 7955  
 EI-1962 168
- Seidel, H. see: 452
393. Seidel, H. and Herrmann, G. F.  
 Circuit Aspects of Parametric Amplifiers. IRE WESCON  
 Convention Record Vol. 3, Pt. 2, 83-90 (1959)  
 EI-1959 p. 1104  
 SA-V. 62 7367
394. Sensiper, S. and Weglein, R. D.  
 Capacitance and Charge Coefficients for Parametric Diode Devices.  
 Proc. Inst. Radio Engrs. (USA) Vol. 48, No. 8, 1402-3 (Aug. 1960)  
 SA-V. 64 250
395. Shafer, C. G.  
 Noise Figure for a Travelling-Wave Parametric Amplifier of the  
 Couple-mode Type. Proc. IRE, Vol. 47, pp. 2117-2118, Dec. 1959  
 SA-V. 64 1466
396. Shafer, C. G.  
 Design and Operation of an S-Band Traveling-Wave Diode  
 Parametric Amplifier. IRE WESCON Convention Record Vol. 4, Pt. 1,  
 49-54 (1960)  
 EI-1961 p. 1345  
 SA-V. 63 7878

397. Sharpless, W. M.  
Gallium-Arsenide Point-Contact Diodes. IRE-Trans. on  
Microwave Theory & Techniques V. MTT-9, No. 1, Jan. 1961, p. 6-10  
EI-1961 p. 1345
- Sharpless, W. M. see: 112, 113, 453
398. Shepherd, G. P. and Kiely, D. G.  
Parametric Up-Converter Tunable Over an 18:1 Frequency Band.  
Proc. Inst. Radio Engrs. (USA), Vol. 49, No. 5, 966 (May, 1961)  
SA-V. 65 362
- Shirakata, K. see: 252
399. Shteinshleiger, V. B.  
Quantum Paramagnetic High-Frequency Amplifiers.  
Telecommunications. No. 12, 1960, p. 1353-62  
EI-1961 p. 1346
- Shteinshleiger, V. B. see: 321
400. Shteinshleiger, V. B. and Mizezhnikov, G. S.  
Wave Propagation in Electrical Networks Containing Negative  
Resistance, As Applied to Quantum Travelling Wave Amplifiers.  
Radiotekhnika i Elektronika (USSR) Vol. 5, No. 6, 962-8 (June 1960)  
In Russian  
SA-V. 65 1040
401. Shunaman, F.  
The Variable Reactance Amplifier. Radio Electronics Vol. 30,  
pp. 78-80, 82, February 1959
- Sie, J. see: 140
402. Sie, J. and Weisbaum, S.  
Noise Figure of Receiver Systems Using Parametric Amplifiers.  
IRE Nat. Convention Record, Vol. 7, Pt. 3, 141-57 (1959)  
SA-V. 62 6723
403. Siegel, K.  
Comparative Figures of Merit for Available Varactor Diodes.  
Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 4, 809-10 (April 1961)  
SA-V. 64 5599
404. Siegman, A. E.  
Phase-Distortionless Limiting by a Parametric Method. Proc.  
Inst. Radio Engrs. Vol. 47, No. 3, 447-8 (March, 1959)  
SA-V. 62 4207

405. Siegmund, A. E.  
The D. C. Pumped Quadrupole Amplifier-A Wave Analysis.  
Proc. Inst. Radio Engrs. (USA) Vol. 48, No. 10, 1750-5 (Oct. 1960)  
EI-1960 p. 1153  
SA-V. 64 253
406. Simon, J. C.  
The Action of a Travelling Perturbation on a Guided  
Electromagnetic Wave. Ann. Radioelect. Vol. 14, 3-16, (Jan. 1959)  
in French  
SA-V. 62 5307
407. Simon, J. C.  
Action of a Progressive Disturbance on a Guided Electromagnetic  
Wave. IRE Trans. Microwave Theory and Tech. Vol. MTT-8, No. 1,  
18-29 (Jan. 1960)  
SA-V. 63 4950
408. Sims, G. D. and Stephenson, I. M.  
The Role of Space Charge Waves in Modern Microwave Devices  
I-III Electronic Engng. Vol. 32, 408-12, (July), 499-503 (Aug);  
567-71 (Sept. 1960)  
SA-V. 63 7988
- Sirkis, M. D. see: 110
- Skvortsova, N. E. see: 215
409. Smart, R. G.  
A General Steady-State Analysis of Power Frequency Relations  
in Time-Varying Reactances. Proc. Inst. Radio Engrs. (USA)  
Vol. 49, No. 6, 1051-8 (June 1961)  
SA-V. 64 6247
- Smith, R. G. see: 141
410. Smott, W. L. and Leahy, H. C.  
Parametric Amplifier Improves Tropo-Scatter System.  
Electronics Vol. 35, No. 9, Mar. 2, 1962; p. 38-40  
EI-1962 168
- Snow, W. B. see: 115
411. Sobol, H.  
Extension of Longitudinal-Beam Parametric Amplifier Theory.  
Proc. Inst. Radio Engrs. Vol. 48, No. 4, 792-3 (April 1960)  
SA-V. 63 5659
- Sokolov, Yu F. see: 215

- Solomon, R. see: 130
412. Solomon, A. H. and Sterser, F.  
A Parametric Subharmonic Oscillator Pumped at 34.3 KMc/s.  
Proc. Inst. Radio Engrs. Vol. 48, No. 7, 1322-3 (July 1960)  
SA-V. 63 7733
413. Solov'ev, E. G. and Karlova, E. K.  
(Stub delay structure for Traveling Wave Paramagnetic  
Amplifier of Centimeter Wavelength) Radiotekhnika i Elektronika  
V. 6, N. 3, Mar. 1961, p. 406-9 (Eng. Trans. Radio Eng. &  
Electronic Physics, Vol. 6, No. 3, Mar. 1961, p. 359-62)  
EI-1961 p. 1344
- Sondhauss, C. see: 45, 46
- Sorensen, E. V. see: 444
414. Speiser, A. P.  
Parametric Resonance and Parametric Amplifiers. Scientia  
Electrica Vol. 5, No. 2, 61-75 (June 1959) In German  
SA-V. 62 5377
415. Spencer, E. G. and Le Craw, R. C.  
Magnetoacoustic Resonance in Yttrium Iron Garnet. Phys. Rev.  
Letters, Vol. 1, No. 7, 241-3, (Oct. 1, 1958)  
SA-V. 62 2315
416. Steele, E. L.  
Parametric Amplification with Semiconductor Diodes. Proc.  
Nat. Electronics Conf, Vol. 15, 566-74 (1959)  
SA-V. 63 7894
417. Steele, E. L.  
Parametric Amplification by Junction Diodes. Electronic  
Industr. (USA) Vol. 19, No. 10, 81-3 (Oct. 1961)  
SA-V. 65 2832
418. Steiner, K. H.  
(Parametric Circuits with Nonlinear Reactances and  
Resistances) Archiv der Elektrischen Uebertragung Vol. 14, No. 11,  
Nov. 1960, p. 482-6  
EI-1961 p. 1347  
SA-V. 64 3968
419. Steiner, K. H.  
Parametric Circuits with Special Consideration to the  
Characteristics of the Nonlinear Element. Arch. Elekt. Uebertragung  
(Germany) Vol. 16, No. 2, 67-82 (Feb. 1962)  
SA-V. 65 11037

- Steiner, K. H. see: 128
420. Steiner, K. H., Elsner, R. and Pungs, L.  
 On Parametric Circuits with Non-Linear Inductances in  
 Lower Frequency Range. Frequenz (Germany) Vol. 15, No. 8, 241-9  
 (Aug. 1961) In German  
 EI-1962 p. 168  
 SA-V. 65 4187
421. Stelzried, C. T.  
 Cooled Negative Conductance, Degenerate Parametric Amplifier.  
 Microwave J. Vol. 4, No. 7, July 1961, p. 79-84  
 EI-1961 p. 1345
- Stephenson, I. M. see: 408
422. Sterzer, F.  
 Microwave Parametric Subharmonic Oscillators for Digital  
 Computing. Proc. IRE, Vol. 47, pp. 1317-1324 (Aug. 1959)
- Sterzer, F. see: 412
423. Stevens, K. W. H.  
 Atomic and Molecular Generators. I. Introduction. Proc.  
 Instn. Elect. Engrs., Vol. 105, Part B. Suppl, No. 11, 674-7,  
 683 (1958)  
 SA-V. 62 3660
424. Stevens, K. W. H.  
 Parametric Amplification. J. Sci. Instrum. Vol. 37, No. 1,  
 1-5 (Jan. 1960)  
 EI-1960 p. 1154  
 SA-V. 63 2982
- Stewart, R. M., Jr. see: 357
425. Stockman, H. E.  
 Parametric Oscillatory and Rotary Motion. Proc. Inst.  
 Radio Engrs (USA) Vol. 48, No. 6 (I) 1157-8 June 1960  
 SA-V. 64 247
426. Stracca, G. B.  
 Parametric Amplifiers. Alta Frequenza (Italy) Vol. 30,  
 No. 2, 98-113 (Feb. 1961) In Italian  
 SA-V. 65 364

427. Stracca, G. B.  
 Parametric Amplifiers. *Alta Frequenza (Italy)*, Vol. 30,  
 No. 3, 244-54 (March 1961)  
 EI-1961 p. 1346  
 SA-V. 64 6245
428. Stracca, G. B. and Butti, A.  
 Amplification by Means of Nonlinear Reactances. *Ricerca sci*  
 (Italy) Vol. 30, No. 3, 313-43 (March, 1960) In Italian  
 SA-V. 64 6899
429. Strandberg, M. W. P.  
 Unidirectional Paramagnetic Amplifier Design. *IRE-Proc*  
 V. 48, No. 7, July 1960, p. 1307-20  
 EI-1960 p. 1155
430. Straus, T. M.  
 Tuning Range of the Backward Traveling-Wave Parametric  
 Amplifier. *IRE Trans. Microwave Theory & Tech. (USA)* Vol. MTT-9,  
 No. 1, 95 (Jan. 1961)  
 SA-V. 65 368
- Subramanian, M. see: 234
- Sugiyama, K. see: 251
- Suhl, H. see: 443
431. Sutherland, A. D. and Countiss, D. E.  
 Parametric Phase Distortionless L-Band Limiter. *Proc. IRE*,  
 Vol. 48, p. 938, May 1960
432. Szerlip, A.  
 Parametric Radio Frequency Amplifier. *IRE-Wescon Convention*  
 Rec. Vol. 4, Pt. 2, (Circuit Theory; Pulse-Handling Techniques,  
 etc.) 1960 p. 62-79  
 EI-1961 p. 1346  
 SA-V. 64 738
433. Szulkin, P.  
 Theory of Formation of the Second Subharmonic in a Resonant  
 Circuit with a Nonlinear Capacitance. *Arch. Elektrotech (Poland)*  
 Vol. 9, No. 1, 3-16 (1960) In Polish  
 SA-V. 65 925
- Tamiya, J. see: 459

434. Tetenbaum, S. J., Olson, F. A. and Savarin, A.  
An L-Band Traveling-Wave Parametric Amplifier. Proc. Inst.  
Radio Engrs. (USA) Vol. 49, No. 7, 1230-1 (July 1961)  
SA-V. 65 1932
435. Tetenbaum, S. J., Olson, F. A. and Savarin, A.  
A Traveling-Wave, Variable-Reactance-Type Parametric Amplifier.  
G. T. & E Res. Developm. J. (USA) Vol. 1, No. 2, 60-7 (July 1961)  
SA-V. 65 1928
436. Thiels, A. P. G.  
New Microwave Amplifying Techniques-Applications and  
Developments. Brit. Communications & Electronics, Vol. 7, No. 10,  
Oct. 1960, p. 734-41  
EI-1960 p. 1153
437. Thomson, A. F. H.  
Ferromagnetic Amplifiers. Proc. Inst. Radio Engrs., Vol. 48,  
No. 2, 259 (Feb., 1960)  
SA-V. 63 2988
438. Thompson, G. H. B.  
Unidirectional Lower Sideband Parametric Amplifier without  
Circulator. Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 11,  
1684-5 (Nov. 1961)  
SA-V. 65 7961
439. Tichonov, V. I.  
Fluctuation Action in the Simplest Parametric Systems.  
Avtomat i Telemekh. Vol. 19, No. 8, 717-24 (1958) in Russian  
Eng. Summary PB-141096T-7  
SA-V. 63 2977
440. Tien, P. K.  
Parametric Amplification and Frequency Mixing in Propagating  
Circuits. J. Applied Physics Vol. 29, No. 9, Sept. 1958, p. 1347-57  
EI-1958 p. 1004
441. Tien, P. K.  
Noise in Parametric Amplifiers. Acta Electronica (France),  
Vol. 4, No. 3, 425-46 (July 1960)  
EI-1961 p. 1346  
SA-V. 65 1034
442. Tien, P. K. and Haffner, H.  
Parametric Amplifiers. J. Res. Nat. Bur. Stand (USA)  
Vol. 64D, No. 6, 751-4 (Nov.-Dec. 1960)  
SA-V. 65 5511

443. Tien, P. K. and Suhl, H.  
Traveling-Wave Ferromagnetic Amplifier. Inst. Radio Engrs. -  
Proc., Vol. 46, No. 4, Apr. 1958, p. 700-6.  
EI-1958 p. 1004
444. Toft, S. T. and Sorensen, E. V.  
Parametric Amplifiers. Low-Noise Amplification by Means of Non-  
Linear Reactive Elements. Ingenioren B., Vol. 68, No. 20, 585-94  
(Oct. 15, 1959) in Danish.  
SA-V. 63 861
- Trofimenko, I. T. see: 10
445. Tuffill, H. W. and Wharmby, M. A.  
Note on Pump Electrodes of Quadripole Amplifier. J. Electronics  
and Control, Vol. 11, No. 1, July 1961, p. 47-51.  
EI-1961 p. 520
446. Tychinski, V. P., Derkach, Yu. T. and Karpetski, V. V.  
Experimental Investigation of the Degenerate State of a Ferrite  
Amplifier. Radiotekhnika i Elektronika (USSR), Vol. 5, No. 6, 943-53  
(June 1960) in Russian.  
SA-V. 65 1038
447. Tychinski, V. D., Fedorov, V. G. and Savilov, P. I.  
Regenerative Frequency Converter-Amplifier Using Nonlinear  
Capacitance Diodes. Radiotekhnika i Elektronika (USSR), Vol. 5, No. 4,  
677-9 (April 1960) in Russian.  
SA-V. 65 5515
448. Tychinski, V. D. and Karpetski, V. V.  
Investigation of Single-Circuit Parametric Amplifiers. Radio-  
tekhnika i Elektronika (USSR), Vol. 5, No. 4, 679-81 (April 1960) in  
Russian.  
SA-V. 65 5516
449. Udelson, B. J.  
An Electrostatically Focused Electron Beam Parametric Amplifier.  
Proc. Inst. Radio Engrs., Vol. 48, No. 8, 1485-6 (Aug. 1960).  
SA-V. 63 7873
450. Uenohara, M.  
Noise Consideration of the Variable Capacitance Parametric  
Amplifier. Proc. Inst. Radio Engrs., Vol. 48, No. 2, 169-79 (Feb. 1960).  
EI-1960 p. 1154  
SA-V. 63 2984
- Uenohara, M. see: 142, 272



451. Uenohara, M. and Bakanowski, A. E.  
 Low-Noise Parametric Amplifier Using Germanium p-n Junction Diode  
 at 6 kmc. Proc. IRE, Vol. 47, p.p. 2113-2114 (Dec. 1959).  
 SA-V. 64 3259
452. Uenohara, M. and Seidel, H.  
 961-Mc Lower-Sideband Up-Converter for Satellite-Tracking Radar.  
 Bell Syst. Tech. J. (USA), Vol. 40, No. 4, 1183-1206 (July 1961).  
 SA-V. 65 1924
453. Uenohara, M. and Sharpless, W. M.  
 An Extremely Low-Noise 6 kmc. Parametric Amplifier Using Gallium  
 Arsenide Point-Contact Diodes. Proc. IRE, Vol. 47, p.p. 2114-2115,  
 Dec. 1959.  
 SA-V. 64 3260
454. Uenohara, M. and Wolfe, R.  
 Parametric Amplifier with Thermoelectric Refrigeration. IRE -  
 Trans. on Electron Devices, Vol. ED-8, No. 6, Nov. 1961, p. 521-4.  
 SA-V. 65 5506  
 EI-1962 168
455. Utkin, G. M.  
 The Theory of Two-Circuit Parametric Frequency Converters and  
 Oscillators. Radiotekhnika i Elektronika (USSR), Vol. 5, No. 11, 1866-75  
 (Nov. 1960) in Russian.  
 SA-V. 65 1043
456. Utsunomiya, T. and Yuan, S.  
 High-Efficiency Variable-Reactance Frequency Multiplier. Proc.  
 Inst. Radio Engrs. (USA), Vol. 49, No. 5, 965 (May 1961).  
 SA-V. 65 327
457. Valdes, L. B.  
 Circuit Conditions for Parametric Amplification. J. Electronics  
 and Control, Vol. 5, No. 2, Aug. 1958, p. 128-41.  
 EI-1959 p. 1104
458. Van der Ziel, A.  
 Noise Figure of Reactance Convertors and Parametric Amplifiers.  
 J. Appl. Phys., Vol. 30, No. 9, 1149 (Sept. 1959).  
 SA-V. 62 7369
459. Van der Ziel, A. and Tamiya, J.  
 Note on the Noise Figure of Negative Conductance Amplifiers.  
 Proc. Inst. Radio Engrs., Vol. 48, No. 4, 796 (April 1960).  
 SA-V. 63 6250
- Van Slyck, W. S. see: 6

460. Veith, W.  
Parametric Amplifiers Using Electron Beams.  
Nachrichtentechnische Fachberichte. Vol. 21, 1960, p. 60-6  
EI-1961 p. 1347
461. Venohara, M.  
An Extremely-Low-Noise 6-GC Nondegenerate Parametric Amplifier.  
Proc. Inst. Radio Engrs. (USA) Vol. 50, No. 2, 208-9 (Feb. 1962)  
SA-V. 65 9530
- Verreault, R. see: 211
- Ver Wys, G. A. see: 299
462. Vincent, B. T.  
A High-Performance X-Band Parametric Amplifier. Proc. Inst.  
Radio Engrs., Vol. 49, No. 2, 511-12 (Feb. 1961)  
SA-V. 64 3266
463. Vincent, B. T., Jr.  
AC-Band Parametric Amplifier with Large Bandwidth. Proc. Inst.  
Radio Engrs. (USA), Vol. 49, No. 11, 1682 (Nov., 1961)  
SA-V. 65 9527
- Vodicka, V. W. see: 288, 490
464. Voishvillo, G. V. and Poroshin, N. D.  
The Theory of the Parametric Amplifier. Radio tekhnika  
(USSR), Vol. 16, No. 6, 45-50 (June 1961) In Russian (Eng. Trans.  
Radio Eng., Vol. 16, No. 6, June 1961, p. 44-9  
SA-V. 65 1934  
EI-1962 p. 168
- Vokes, J. C. see: 280
- Voorhoar, F. see: 390
- Wacker, A. G. see: 324
465. Wada, J. Y. and Kaprielian, Z. A.  
Theory of Plasma Negative Resistance Amplifier. J. Applied  
Physics, Vo. 33, No. 4, Apr. 1962, p. 1551-62  
SA-V. 65 7957  
EI-1962 168
466. Wade, G.  
Parametric Amplification with Solid State Material and with  
Electron Beams. Proc. Nat. Electronics Conf., Vol. 15, 46-57 (1959)  
SA-V. 63 7874

467. Wade, G.  
 Low-Noise Amplifiers for Centimeter and Shorter Wavelengths.  
 Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 5, 880-91 (May 1961)  
 EI-1961 p. 1344  
 SA-V. 64 5564
- Wade, G. see: 4, 5, 7, 35, 36, 37, 191, 192, 344, 345, 473, 484, 485
468. Wade, G. and Adler, R.  
 A New Method for Pumping a Fast Space-Charge Wave. Proc.  
 Inst. Radio Engrs., Vol. 47, No. 1, 79-80 (Jan. 1959)  
 SA-V. 62 2990
469. Wade, G. and Heffner, H.  
 Gain, Bandwidth and Noise in Cavity-Type Parametric  
 Amplifier Using Electron Beam. J. Electronics & Control, Vol. 5,  
 No. 6, Dec. 1958, p. 497-509  
 SA-V. 62 982  
 EI-1959 p. 1104
470. Wade, G. and Heffner, H.  
 Microwave Parametric Amplifiers and Convertors. Proc. Instn.  
 Elect. Engrs. Vol. 105, Part B, Suppl. No. 11, 677-9, 683 (1958)  
 SA-V. 62 3661
- Wang, C. P. see: 345
- Wang, F. B. see: 478
471. Wanselow, R. D.  
 A Variable Dual Reactance Traveling Wave Parametric Amplifier.  
 Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 5, 973 (May, 1961)  
 SA-V. 65 379
- Wanuga, S. see: 210
472. Warren, T. B.  
 Low-Noise Parametric Amplifiers and Convertors. 1959 IRE  
 National Convention Record Pt. 3, p. 158
- Watanabe, S. see: 346
- Waters, W. P. see: 131
473. Watkins, D. A. and Wade, G.  
 T.W.T.'s and Paramps for Low-Noise Reception. Electronics,  
 Vol. 32, No. 49, 106-9 (Dec. 4, 1959)  
 SA-V. 63 2353

- Weber, C. see: 179
474. Weber, S.  
The MAVAR: A Low Noise Microwave Amplifier. *Electronics*,  
Vol. 31, pp. 65-71, Sept. 26, 1958
475. Weglein, R. D.  
Some Limitations on Parametric Amplifier Noise Performance  
*IRE-Trans. on Microwave Theory & Techniques V. MTT-8, N. 5*,  
Sept. 1960, p. 538-44.  
SA-V. 64 1464  
EI-1961 p. 1346
- Weglein, R. D. see: 168, 258, 259, 394
476. Weglein, R. D. and Keywell, F.  
A Low-Noise X-Band Parametric Amplifier Using a Silicon Mesa  
Diode. *IRE Trans. Microwave Theory and Tech. (USA)*, Vol. MTT-9,  
No. 1, 39-43, (Jan. 1961)  
EI-1961 p. 1346  
SA-V. 64 3256
- Weinreb, S. see: 284
- Weissbaum, S. see: 354, 402
- Wessel--Berg, T. see: 44
477. Wessel-Berg, T. and Blotekjaer, K.  
Beam Interception and Limiting Gain in Adler Tubes. *Proc.*  
*Inst. Radio Engrs. (USA)* Vol. 49, No. 2, 516-17 (Feb. 1961)  
SA-V. 64 5229
- Wharmly, M. A. see: 445
- Whirry, W. L. see: 129
478. Whirry, W. L. and Wang, F. B.  
Experimental Study of the Modified Semistatic Ferrite  
Amplifier. *J. Appl. Phys.*, Supplement to: Vol. 30, No. 4,  
150S-151S (April 1959)  
SA-V. 63 1611
- White, W. D. see: 174
- Willshaw, W. E. see: 117

479. Wolf, A. A. and Pippen, J. E.  
A Passive Parametric Limiter. Digest of Technical Papers,  
1960 Solid-State Circuits Conference, Philadelphia, Pa.,  
Feb. 10-12, 1960
- Wolfe, R. see: 454
480. Wosehni, E. G.  
Oscillatory Circuits with Variable Parameters (Rheoliner  
Oscillators) Hochfrequenztech u ElektAkust. Vol. 69, No. 3,  
103-8 (June 1960) In German  
SA-V. 63 7877
- Wrigley, C. see: 288
- Yamagishi, F. see: 260
481. Yamamoto, T. and Kishimoto, A.  
Parametric Excitation and Amplification Using Esaki Diode.  
J. Inst. Elect. Commun. Engrs. Japan, Vol. 44, No. 2, 181-7  
(Feb. 1961) in Japanese  
SA-V. 65 378
- Yamanaka, K. see: 486
482. Yariv, A. and Kompfner, R.  
Noise Temperature in Distributed Amplifiers. IRE Trans.  
Electron Devices (USA) Vol. ED-8, No. 3, 207-11 (May 1961)  
SA-V. 64 4639
483. Yohan, Cho  
Parametric-Excited Resonator Using Junction Transistor.  
Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 5, 974 (May 1961)  
SA-V. 64 6898
484. Younger, J. J., Little, A. G., Hoffner, H., Wade, G.  
Parametric Amplifiers as Superregenerative Detectors.  
Proc. Inst. Radio Engrs., Vol. 47, No. 7, 1271-2 (July 1959)  
SA-V. 62 7371
485. Younger, J. J., Little, A. G., Hoffner, H., Wade, G.  
Superregenerative Operation of Parametric Amplifiers.  
Inst. Radio Engrs. 1959 IRE WESCON Convention Rec. Vol. 3, Pt. 1,  
1959 p. 108-11  
SA-V. 63 356  
EI-1959 p. 1105
- Yuan, S. see: 456

486. Zen'iti, K., Husimi, K., Hiyama, Y. and Yamanaka, K.  
 Parametric Excitation Using Selenium Rectifier. J. Inst.  
 Elect. Commun. Engrs. Japan, Vol. 41, No. 8, 786-91 (Aug. 1958)  
 in Japanese  
 SA-V. 62 . 983
- Zeveke, N. G. see: 294
- Zorzy, I. see: 156
487. Zubkov, V. I. and Monosov, Ya A  
 Some Problems of the Theory of Parametric Amplifiers.  
 Radiotekhnika i Elektronika (USSR) Vol. 5, No. 1, 75-89,  
 (Jan. 1960) In Russian  
 SA-V. 65 4190
488. Zubkov, V. I. and Monosov, Ya A.  
 Theory of Parametric Amplifiers Radiotekhnika i Elektronika  
 Vol. 5, No. 1, Jan. 1960, p. 75-89 (Eng. Transl. Radio Eng. &  
 Electronics Vol. 5, No. 1, 1960, p. 107-27)  
 EI-1960 p. 1154
489. Zucker, H.  
 Traveling-Wave Parametric Amplifier Analysis Using Difference  
 Equations. Proc. Inst. Radio Engrs. (USA) Vol. 49, No. 3,  
 591-8 (March, 1961)  
 EI-1961 p. 1347  
 SA-V. 64 2507
- Zuleeg, R. see: 288
490. Zuleeg, R. and Vodicka, V. W.  
 Parametric Amplification Properties in Transistors. Proc.  
 Inst. Radio Engrs. (USA), Vol. 48, No. 10, 1785-6 (Oct. 1960)  
 SA-V. 64 1469

## SUBJECT INDEX

- Adler tubes, noise sources 279
- Analysis 346, 418, 419, 420
  - application of perturbational method 165
  - beam modulated 382
  - negative conductance ampl. 388
  - power relations 409
  - single stage linear parametric ampl. 286
  - stability and transients 230
  - using 709 computer 287
- Antennas, with parametric ampl. 145
  
- Bandwidth and gain, modf. Rowe expression 138
- Bibliography 330
- Broadband ampl. using ridge waveguide as capacitive posts 52
- Broad hybrid coupled 381
- Built into half-wave dipole aerial 146
  
- Cavity-type 223
  - analysis 8
  - coupled filter circuits, analysis 101
  - coupled filter circuits, experiments 168
  - gain, bandwidth and noise 376, 469
  - 3-f, large signal charoc. 262
  - unidirectional design 429
- Circuit conditions 457
- Circuit design 393
- Communication receivers
  - analysis and exp. study 432
  - improves tropo-scatter system 410
  - reactance tube as parametric element 127
  - sensitivity with parametric ampl. 239
- Comparison with t.w.t. for low noise recep. 473
- Cyclotron waves
  - ampl. in time & space periodic fields 386
  - amplifier 44
  - magnetic pumping 372
  
- D.C. pumped ampl. with 2-dimen. field struc. 28
- Degenerate amplifiers
  - degenerate & quasi degenerate mode, theory 65, 358
  - design & operation 152
  - phase angle with reg. resis., calc. 256
  - sensitivity 217
  - theory 421
  - wide-band, design & perfor. 153
  - using butterfly resonators 314
- Design, construction 177
- For Digital computing 422

Directional-bridge 241  
 Double helix delay structure 294  
 Doubly resonant ampl., staggered operation 176  
  
 project Echo, standby receiver 243  
 Elect. and mech. analogs 317  
 Electromechanical oscillations  
     effect of motor winding 126  
     variable inductance systems 306  
 Electron beam  
     Adler tube 62  
     bunched circulating 97  
     energy balance 170  
     longitudinal-beam extension to theory 411  
     low noise, pump freq. and phase vel. 273  
 Electron beam type 24, 460  
     advantages 96  
     coupled-mode theory 164  
     coupling bet. transverse waves 257  
     d.c. pumped twisted quadrupole 405  
     effect of dispersion of electron vel. 295  
     with electrostatic focus 449  
     fastwave couplers, theory & design 25  
     longitudinal kinetic power 184  
     low noise 4  
     low noise, quadrupole type for 200 Mc/s 73  
     noise 159  
     progress review 3  
     pumping of fast space chg. waves 468  
     space-chg. wave, with lower f pumping 70  
     3-frequency 297  
     in varying magnetic fields 158  
 Electron gun 179  
 Energy conversion by nonlinear admittances 134  
 Energy relations, generalized theory 122  
 Equiv. time-varying capacitance, def. 189  
 Excitation of quantum systems 64  
 Excitation with current saturable inductances 361  
 Experimental configuration 155  
 Experimental demonstration 47  
  
 Fast wave amplification, theory 219  
 Fast wave coupler, electrostatic 349  
 Fast wave excitation, coupler analysis 71  
 Ferrite ampl. 319, 368, 478  
     investigation of degenerate state 446  
     new principles for ampl. microwaves 135  
     using double pump frequency 162  
 Ferroelectric element 18, 154  
 Ferroelectric parametric ampl. 137



**Ferromagnetic**  
 using (Ba Sr) Ti O<sub>3</sub> 19  
 using Fe<sup>3+</sup> ions in corundum 238  
 hysteresis by orthogonal polarization 17  
 use at l.f. 58  
 using longitudinal pumping 114  
 origin of noise 115  
 orthogonal magnetic control 14  
 theoretical performance limitations 104  
 thin film 363  
 travelling wave 443  
 using yttrium iron garnet 437  
 5-band ampl. 169  
 h-f nonlinear reactance circuit, analysis 2  
 h-f parametric device, transmiss phase rel. 12  
 450 Mc/s ampl., design & performance 331  
 Frequency conversion 121, 125  
 Frequency domain theory 285  
 Frequency mixing in prop. circuits 440  
 Frequency multiplication 209, 284  
     theory 74  
 Frequency multiplier with low noise using back biased diode 227  
  
 using Ga as point contact diode 112, 195  
     noise figures 113, 453  
     reactor with 400 bandwidth 224  
     for 17.35 and 30 KMC ampl. 111  
 Gain, bandwidth & noise fig., comparison with converter 351  
 Gain stability 225  
 using Gas discharge plasma, theory 246  
 using Ge diodes 340  
     frequency dependence 130  
     gold bonded, low noise 131  
     in harmonic generator 247  
     neg. biased, static & dynamic charac. 296  
     operating charac. 215, 397  
     p-n junction diode at 6 KMC 451  
 Guided e.m. wave, action of progressive disturbance 407  
  
 Harmonic generation using idling circuits 240  
 Helix parametric amplifier 98  
 High f ampl., charac. & construction 399  
 Hill equation, analysis 144  
 Hodograph 359  
  
 Idler noise, theory 201  
 Inductance pumping, varying 425  
 Interferometer, 10.7 cm cmpt., use in 84  
 Introduction to 118, 161

Investigation of  $f$  & resonant curves of coupled circuits 487

Kompfner dip couplers 82

for L-band radar receivers 175

Linear homogeneous system, theory 352

l. f reactance type

- gain & bandwidth inconsistencies 232, 233
- using Ni Zn ferrite core 304

Lossless periodically distributed mode theory 270

Lossy coupling 166

Low noise ampl. 472

- MAVAR 474
- reactance type design 171
- for short wavelengths 467
- wide band reactance type 291, 387

Low noise, 258

- design 54, 208
- with large gain-bandwidth product 293

Low noise figure, isolated ampl. 27

Low noise and h.f. 253

Lower frequency pumping 43, 72, 75, 79, 80, 322

effect of Magnetic fields

- crossed 15
- perpendicular magnetic control 16

Magnetic film parametron, 500 Mc/s 357

Magnetoacoustic resonance in yttrium iron garnet 415

Manley Rowe energy relationships 66

- derivation 86, 302
- use in frequency changers 38
- theory 39, 216

Masers and mavars, survey 108

and Masers, survey 274

Mathematical aspects of parametric ampl. 326

Mavar, influence of series resis. of cap. diode 45

Microwave ampls. and oscillators 470

- charac. using semicon. diodes 190

Neg. resistance ampl., gain-bandwidth relationships 20

Noise, analysis 441

Noise figure 89, 191, 459

- meas. techniques 182

Noise figures

- of receiver systems 402
- simple derivation 458
- for X-band 53

Noise & gain properties 136

Noise generation, derivation 482

Noise measurement  
     linear ampl. 267  
     of neg resistance ampl. 63  
 Noise min., using transformer coupling 87  
 Noise performance, limitations 475  
 Noise prop. of 4-pole networks 392  
 Noise studies 151  
     optimum performance 263  
 Noise temp. & pump power, prediction 259  
 Noise theory 353  
 Nondegenerate parametric ampl.  
     C-band ampl. 463  
     low noise, cooled with liq. N<sub>2</sub> 461  
     mechanical model 211  
     S-band ampl, design 167  
     X-band ampl. 226  
 Nonlinear cap., theory of formation of second subharmonic 433  
 Nonlinear reactive elements  
     coupler bet. 3 prop. circuits 81  
     energy prop. 335  
     prop. 235  
 along Nonlinear transmiss line 275  
     distortion 276  
 Nonreciprocal parametric devices  
     circuit 26  
     varactor diodes pumped in quadrature 261  
  
 One-part, optimum noise and gain-bandwidth product 173  
 Operation with non-reciprocal elements 220  
 Operational calculus, trends 278  
 Optical f, ampli. at 245  
 forced Oscillations in regenerated systems, eq. 318  
 Oscillatory circuits with variable parameters 480  
  
 Parallel resonant circuits, f response 391  
 Parametric effects in 2-level electric dipole system 141  
 Parametric and psuedo parametric 85  
 Parametron, misoperation 338  
 Passive limiter 479  
 Performance on beyond-the-fringe microwave link 180  
 Periodically distributed  
     analysis 269  
     mode theory 271  
 Perturbations, elimination of higher order 198  
 Phase-distortionless limiting 345, 404  
     cavity type parametric circuit 344  
     L-band limiter 431

Phase selectivity 147  
use in Pioneer 4 deep space probe, circuit details 203  
Plasma neg resistance ampl. 465  
Power conversion, nonlinear reactive elements 110  
Power relationships, nonlinear resis. elements 348  
Pumping level and f fluctuation, effects on gain & delay time 214

Quadrupole-type  
beam cooling 280  
beam interception 477  
coupling of electron cyclotron & synchronous waves 160  
on fast cyclotron wave 5, 445  
low noise 21  
subharmonic parametric pumping 67  
thermal & beam noise 7  
Quasi-cascade 367

L.-band Radar, use as radio f ampl. 260  
Radar sensitivity of degenerate parametric ampl. as front end 174, 389  
Radar system component 6  
use in Radio astronomy 119, 120  
Reactance ampl.

backward wave, low f prototype 59  
travelling wave 4.5 Mc/s 292

Regenerative circuits  
freq. converter using nonlinear cap. diodes 447

Regenerative circuits  
theory 34  
two circuit ampl., error 123

Resonant slot tuning 11  
Review 32, 90, 187, 332, 336, 356, 364, 378  
414, 423, 427, 442

Review & bibliography 333  
Review of types 350, 379, 380

use in Satellite-tracking probe 452  
Saturation & recovery time 237  
S-band ampl. with bandwidth 80 Mc/s at 2.5 G c/s center f 390  
Semiconductor diode type

analysis 41  
applications, survey 374  
capacitance and charge coeff. 394  
design & fabrication 106, 327  
diode figure of merit 328, 329  
diode loaded helix 91  
diode relaxation phenomena 129  
dynistor & transistor semiconductor devices 204  
effect of parasitic parameters 236  
equal input & output f 312

equiv.-circuit for single diode analysis 341  
 h-frequency, design & operation 299  
 general theory 102  
 h f multiplier 456  
 introduction to 417  
 large signal analysis 221  
 low series resis. diode for h performance ampl 281  
 noise factors 450  
 used as nonreciprocal element 231  
 optimum performance at S-band 370  
 with parallel-tuned circuits 103  
 performance figures for S and X-band 156  
 point contact oscillations higher than pump f 242  
 production for parametric ampl. 206  
 Q measurements 178  
 reactance diode in wideband waveguide ampl 46  
 reactatron, semicond. diode ampl 57  
 review 366  
 S-band trav. wave, design 396  
 Si mesa diodes used in refrig. ampl. 142  
 Si mesa diodes for low noise X-band 476  
 Space charge capacitors 300  
 Space charge region, fluctuation noise 150  
 Static measurements 377  
 in Subharmonic oscillators 205  
 Theory and practice at microwave f's 49  
 in Transmission line 384  
 Wide band 289  
 X-band ampl., design & charac. 264  
 Simple systems, fluctuations 439  
 Single circuit ampl. 202, 448  
 Single diode up-convertor 354  
 Single resonance, theory 139  
 using Silver-bonded diode 250  
   consts. and charac. 248  
   theory of non-reciprocal circuits with 251  
   for X band 249  
 Solid state and electron beam, charac. 466  
 Solid state microwave ampl. 339  
   low noise 172, 183  
   techniques 436  
 Solid state, noise sources 105  
   using barrier capacitance of Se rectifier 486  
   circuit conditions, amend. to papers by Valdes 347  
   use of quartz 33  
   h-terminal analysis 76, 77  
 Space charge waves 22, 92, 94, 383, 408  
   amplifiers 298

use in Space probe tracking 60  
 Square-law, diode-coupled, analysis 128  
 Stability disc., cavity & trav. wave types 343  
 Static quadrupole field, spatially varying 157  
 Straight reactance type in low noise pre-amp 313  
 Subharmonic oscillator pumped at  $3\frac{1}{2}$  G c/s 412  
 Superegenerative ampl.  
     detector 484  
     operation 193, 485  
     reactance 50  
     spectral & amplitude-freq. charac. 148  
     transfer function 124  
     X-band, using varactor 51  
 Surface wave 68  
 Survey of principles 117, 254  
 Survey and progress review 424  
 Switching time of subharmonic oscillations 337  
 Symmetrical matrix analysis 116  
  
 Theoretical performance 303  
     limitations on gain and bandwidth 266  
 Theory 40, 42, 181, 188, 311, 325, 365,  
     426, 464, 488  
 with Thermoelectric refrig., to improve noise fig. 454  
 Time-varying network, properties of 301  
 Time-varying parameters, properties of 307  
 with 3-signal frequencies 1  
 Transient in two circuit ampl. 212  
 Transistor ampl. 288, 375  
     charge storage ampl. 186  
     properties 490  
     resonator 483  
 Travelling wave tube eq., and effects of parametric pumping 93  
 Travelling-wave type 99  
     analysis, using difference eq. 489  
     broad band 199  
     broadbanding synchronism 55  
     use of conservation of energy & momentum 355  
     coupler, longitudinal beam 163  
     effect of higher harmonic components 385  
     effect of upper side bands 107  
     using electron beam 23  
     equiv circuit, with controlled cap. 197  
     gain saturation 229  
     gain using nonlinear cap. 218  
     integrating parts with aerial structures 95  
     interaction bet. signal and idling waves 200  
     iterative 36

- L-band ampl, design & performance 362
- L-band ampl, using semicond. diodes 434, 435
- Low noise 132
- method of obtaining charac. 438
- noise figure 395
- noise figure, theoretical derivation 37
- parasitic effects 140
- periodically loaded transmiss lines 194
- perturbation on guided e. n. wave 406
- saturation effect 228
- series connected 282
- shock waves in nonlinear transmiss. lines 277
- solid state analog 196
- stub delay structure 413
- temporal instabilities 69
- theory 100, 321
- theory, review 444
- tuning range 210, 430
- for UHF 133
- variable dual reactance 471
- variable reactance 207
- wide band, analysis 35, 373
- Tropospheric scatter communication range extension 185
- Tunnel diode ampl.
  - design 83
  - Esaki diode as nonlinear device 109, 481
  - nonreciprocal device 290
  - stability criteria 56
  - theory 324
- Tunnel diode down converters, effect of large pump voltage 360
- using Tunnel diodes, low noise 78
- Two circuit f converters & oscillators, theory 455
- UHF band use of tunable, neg-resistance ampl. 48
- Up convertor, tunable over 18:1 f band 398
- Up convertor used as electronically tunable filters, design, theory 309, 310
- Varactor diode 61
  - behavior of ideal 2-frequency varactor 323
  - use in C-band ampl. 255
  - const. output f, theory 342
  - figures of merit 403
  - for gain optimization 234
  - gain stability 371
  - review of design of broadband single varactor ampl. 315
  - theory 428

Variable capacitance ampl.  
adjustments using passive circuit meas 268  
analysis 13  
theory 369  
Variable capacitance diodes 9, 213, 416  
charac. 334  
four-terminal equiv. circuit 244  
noise figure 272  
three-terminal circuit 149  
review 316  
Variable parameter ampl, characteristics 192  
Variable reactance, 401  
operating charac. 305  
V.H.F. ampl.  
circuit theory, diode details 29, 30  
noise performance 88  
with Si diodes 283  
and UHF reception 31  
  
Wave equation with nonlinear interface solv 320  
Wave prop. in network contg neg. resistance 400  
Wave systems with long election streams 10  
use for Weak signals, theory 143  
Wide band ampl 252  
converters, theory & design 265  
optimum design 308  
  
X-band ampl, large gain-bandwidth 462